

HEWLETT-PACKARD

HP-67/HP-97

Navigation Pac I



CAUTION

It is highly recommended that conventional navigational tables and tools be taken on cruises along with the HP-67/97 and Navigation Pac 1 as insurance against calculator failure or battery discharge.

The program material contained herein is supplied without representation or warranty of any kind. Hewlett-Packard Company therefore assumes no responsibility and shall have no liability, consequential or otherwise, of any kind arising from the use of this program material or any part thereof.

INTRODUCTION

This Navigation Pac is a collection of programs deemed most useful to navigators. The programs are intended to answer the questions: "Where am I?", "Which way should I go?", and "How far is it?".

The first four programs are used to answer questions relating to the distance and direction between two points. These programs compute great-circle and rhumb line courses and distances, give estimated time of arrival, and serve as a real-time dead reckoner.

The next seven programs are an integrated set of celestial and bearing fix programs to answer "Where am I?". One program aids the navigator by helping to plan the morning or evening star sights. An almanac interpolator makes it easy to compute sextant height and azimuth for any tabulated body using a current Nautical Almanac. The other almanac programs can be used to compute the position of the Sun, Polaris, or any of the other 57 navigational stars without reference to a published almanac. Two programs compute lines of position from bearings on known objects or from horizontal sextant angles between them. The final program computes the intersection of any two lines (actually circles) of position from the almanac programs or from the bearing or angle programs.

The remaining three programs demonstrate how the calculator can be used in special situations to answer the same three basic questions asked by navigators.

Many navigators have discussed their wants and needs with the Corvallis Division Applications Engineers. Several of them deserve special recognition. Our thanks for ideas, programs, and criticism go to Mr. Alan S. Bagley of Hewlett-Packard; Wing Commander Basil D'Oliveira, R.A.F. (Ret.); Captain Kenneth R. Orcutt of Matson Lines; Mr. Mortimer Rogoff, author of *Calculator Navigation*; and Captain Henry H. Shufeldt, USNR (Ret.).

TABLE OF CONTENTS

Program	Page
Course Planning Programs	
1. Estimated Time of Arrival	01-01
An interchangeable solution involving speed, time, and distance.	
2. Great Circle and Rhumb Line Navigation	02-02
Computes great-circle distance and initial course. Produces one or more rhumb lines approximating the great circle.	
3. Dead Reckoning	03-01
Predicts or keeps track of your dead reckoning position.	
4. Velocity triangle and Course to Steer	04-01
An interchangeable solution for the vector addition problem. Also computes course to steer given boat speed and desired destination.	
Celestial Navigation Programs	
5. Star Sight Planner (2 cards)	05-01
Produces a list of available stars given location, date and time.	
Also gives approximate time of middle of morning and evening twilight periods.	
6. Almanac Interpolator	06-01
Interpolates in Almanac for position of any body and reduces sight as well. Can be used to compute sextant setting for difficult-to-see objects.	
7. Sun Line of Position	07-01
Computes a line of position from a Sun sight. This program is virtually a perpetual Sun almanac.	
8. Star Line of Position (7 cards)	08-01
Computes a line of position from a star sight. This program is virtually a perpetual star almanac. Six data cards contain almanac data on all 57 navigational stars plus Polaris.	
9. Bearing Line of Position	09-01
Produces a fix from bearing on two objects. May be used to provide a line of position.	
10. Two-Angle Line of Position	10-01
Produces one or two lines of position for the Position Fixing program.	
11. Fix from Two Line of Position	11-01
Uses two lines of position from any combination of above programs to compute a fix. Also computes running fixes.	
Miscellaneous Programs	
12. Radar Plotting Closest Point of Approach	12-01
Tracks two vessels simultaneously, computing range, bearing, and time of CPA. Also computes new course to steer to avoid another vessel by a specified distance.	

13. Distance by Horizon Angle **13-01**
Computes the distance to an object of known height either beyond or short of the horizon. Also can be used with vertical angles of objects.
14. Beating to Windward **14-01**
From measurements made on your boat, your speed-made-good and course-made-good are calculated. Then time to the lay line, course and speed-made-good on the next tack, and time to the mark are computed.

Appendices

1. Star Positions **A1-01**
2. Other Programs **A2-01**
3. Equations and Techniques **A3-01**
4. Bibliography **A4-01**
- Program Listings** **L00-01**

A WORD ABOUT PROGRAM USAGE

This application pac has been designed for both the HP-97 Programmable Printing Calculator and the HP-67 Programmable Pocket Calculator. The most significant difference between the HP-67 and the HP-97 calculators is the printing capability of the HP-97. The two calculators also differ in a few minor ways. The purpose of this section is to discuss the ways that the programs in this pac are affected by the difference in the two machines and to suggest how you can make optimal use of your machine, be it an HP-67 or an HP-97.

Many of the computed results in this pac are output by PRINT statements; on the HP-97 these results will be output on the printer. On the HP-67 each PRINT command will be interpreted as a PAUSE: the program will halt, display the result for about five seconds, then continue execution. The term "PRINT/PAUSE" is used to describe this output condition.

If you own an HP-67, you may want more time to copy down the number displayed by a PRINT/PAUSE. All you need to do is press any key on the keyboard. If the command being executed is PRINTx (eight rapid blinks of the decimal point), pressing a key will cause the program to halt. Execution of the halted program may be re-initiated by pressing **R/S**.

HP-97 users may also want to keep a permanent record of the values input to a certain program. A convenient way to do this is to set the Print Mode switch to NORMAL before running the program. In this mode all input values and their corresponding user-definable keys will be listed on the printer, thus providing a record of the entire operation of the program.

Another area that could reflect differences between the HP-67 and the HP-97 is in the keystroke solutions to example problems. It is sometimes necessary in these solutions to include operations that involve prefix keys, namely, **f** on the HP-97 and **f**, **g**, and **h** on the HP-67. For example, the operation **10^x** is performed on the HP-97 as **f 10^x** and on the HP-67 as **g 10^x**. In such cases, the keystroke solution omits the prefix key and indicates only the operation (as here, **10^x**). As you work through the example problems, take care to press the appropriate prefix keys (if any) for your calculator.

Also in keystroke solutions, those values that are output by the PRINT command will be followed by three asterisks (***)�.

Certain notational conventions were adopted for use in this pac. The notation "degrees, minutes, and tenths" is never used—mental translation is necessary when keying in values from *The Nautical Almanac*. The sign convention used is that north latitude and west longitude are positive numbers. Altitude intercepts "Away" are positive.

SYMBOLS AND UNITS USED IN THIS PAC

SYMBOL	MEANING
α (alpha)	Greenwich Hour Angle (even though used normally for Right Ascension)
Δ (capital delta)	Difference in (e.g. Δt means "time difference")
δ (delta)	Declination
λ (lambda)	Longitude
a	Altitude intercept
B	Bearing
C, C_c , C_m	Course, Compass course, Course to mark
CMG	Course made good
D	Day
D, DIST	Distance
D, Dev.	Deviation
D.d	Degrees and tenths
D.M	Degrees and minutes
D.MS	Degrees, minutes, and seconds
Dr	Drift
GHA	Greenwich Hour Angle
GMT	Greenwich Mean Time
H	Height (a vertical distance)
H_c	Computed height (an angle)
H_o	Observed height
HE	Height of eye
h_s	Sextant height (an angle)
L	Latitude
LHA	Local Hour Angle
M	Month
R	Range
S	Speed
Sa	Apparent speed
St	Set
SD	Semidiameter
SHA	Sidereal Hour Angle
t	Time, meridian angle
V, Var	Variation
Y	Year
Z_n	Azimuth from North

MAGNETIC CARD SYMBOLS AND CONVENTIONS

SYMBOL OR CONVENTION	INDICATED MEANING
White mnemonic: x A	White mnemonics are associated with the user-definable key they are above when the card is inserted in the calculator's window slot. In this case the value of x could be input by keying it in and pressing A .
Gold mnemonic: y x E x↑y A	Gold mnemonics are similar to white mnemonics except that the gold f key must be pressed before the user-definable key. In this case y could be input by pressing f E . ↑ is the symbol for ENTER . In this case ENTER is used to separate the input variables x and y. To input both x and y you would key in x, press ENTER , key in y and press A .
 x A (x) A →x A	The box around the variable x indicates input by pressing STO A . Parentheses indicate an option. In this case, x is not a required input but could be input in special cases. → is the symbol for calculate. This indicates that you may calculate x by pressing key A .
→x, y, z A	This indicates that x, y, and z are calculated by pressing A once. The values would be printed in x, y, z order.
→x; y; z A	The semi-colons indicate that after x has been calculated using A , y and z may be calculated by pressing R/S .
→"x," y A	The quote marks indicate that the x value will be "paused" or held in the display for one second. The pause will be followed by the display of y.
↔ x A	The two-way arrow ↔ indicates that x may be either output or input when the associated user-definable key is pressed. If numeric keys have been pressed between user-definable keys, x is stored. If numeric keys have not been pressed, the program will calculate x.

SYMBOL OR CONVENTION	INDICATED MEANING
P? A	The question mark indicates that this is a mode setting, while the mnemonic indicates the type of mode being set. In this case a print mode is controlled. Mode settings typically have a 1.00 or 0.00 indicator displayed after they are executed. If 1.00 is displayed, the mode is on. If 0.00 is displayed, it is off.
START A	The word START is an example of a command. The start function should be performed to begin or start a program. It is included when initialization is necessary.
DEL A	This special command indicates that the last value or set of values input may be deleted by pressing A.
x; ... A	Three dots (...) indicate that additional output follows. See User Instructions for complete description of variables output.
\leftrightarrow x, y	On input: $x \uparrow y$ On output: $\rightarrow x; y$

ESTIMATED TIME OF ARRIVAL

ESTIMATED TIME OF ARRIVAL					
ZD _d	Dist	Speed	departure D HHMM	arrival D HHMM	

This program is an interchangeable solution for the speed, time, and distance problem. The program is written to correct for time zone changes and to account for days as well as hours. The program does not contain a calendar so a ten-day trip begun on the 27th of a month will end on the 37th day of that same month. Simply subtract 28, 29, 30, or 31 as appropriate to get the correct day of the next month.

The data registers are set up so that if the course planning program "Great Circle and Rhumbline Navigation" has just been run, the distance, longitude of departure, and longitude of arrival will not have to be input again.

STEP	INSTRUCTION	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load "Estimated Time of Arrival"			
2	Key in zone descriptions* of Departure point	ZD _d , D.MS	A	ZD _d
	Arrival point	ZD _a , D.MS	A	ZD _a
3	Key in values for any three of the following quantities:			
	Distance	D, n. mi.	B	D
	Speed	S, knots	C	S
	Departure day and time	D.HHMM	D	GMT _d
	Arrival day and time	D.HHMM	E	GMT _a
4	Compute unknown value for:			
	Distance		B	D, n. mi.
	Speed		C	S, knots
	Departure day and time		D	D.HHMM
	Arrival day and time		E	D.HHMM
	or			

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	First run "Great Circle and Rhumb Line Navigation" to compute distance.			
2	Load "Estimated Time of Arrival"			
3	Continue with step 3 above.			
*	To compute the standard zone description of a place, key in its longitude.	λ , D.MS	A B	ZD

Example 1:

A passage is planned from Los Angeles ($33^{\circ}40'N$, $120^{\circ}10'W$) to Honolulu ($21^{\circ}16'N$, $157^{\circ}50'W$). If it is desired to arrive in Honolulu at noon on the 25th of the month, when should the passage begin? Assume a 17 knot speed-made-good.

Keystrokes:**Outputs:**

Load "Great Circle and Rhumbline Navigation"

33.40 **ENTER** 120.10 **A**

21.16 **ENTER** 157.50 **A B** → 2124.6341 distance
 259.3521 initial course

Load "Estimated Time of Arrival"

8 **A** 10 **A** 17 **C**

25.12 **E D** → 20.1001 The voyage begins
 at 1000 on the 20th.

Example 2:

An engineer wishes to drive the 597 miles from Cupertino, California, to Corvallis, Oregon. He expects to be able to average 50 MPH. What time will he arrive if he leaves Cupertino at 1440 and drives straight through?

Keystrokes:**Outputs:**

Load "Estimated Time of Arrival"

8 **A** 8 **A** same time zone

597 **B** 50 **C** .1440 **D E** → 1.0236

He arrives at 0236 the following morning.

GREAT CIRCLE AND RHUMB LINE NAVIGATION



This program computes the great-circle distance between two points. It also may be used to produce a list of points on that great circle which are separated by a specified longitude difference. The list of great-circle points is printed along with the rhumb line courses and distances between successive points.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in initial and final points			
	Starting latitude	L_1 , D.MS	$\boxed{\text{ENTER}}$	
	Starting longitude	λ_1 , D.MS	$\boxed{\text{F}}$ $\boxed{\text{A}}$	
	Ending latitude	L_2 , D.MS	$\boxed{\text{ENTER}}$	
	Ending longitude	λ_2 , D.MS	$\boxed{\text{A}}$	
3	Compute distance and initial heading		$\boxed{\text{B}}$ $\boxed{\text{R}} \boxed{\text{S}}$	D, naut. mi. H_i , deg.
4	Select a longitude increment ($\boxed{\text{CHS}}$ if east)	$\Delta\lambda$, D.MS	$\boxed{\text{C}}$	
5	List great circle points and rhumb lines		$\boxed{\text{D}}$	*
	Note: To compute a one- rhumb line course, let the longi- tude increment equal $\lambda_2 - \lambda_1$			
			$\boxed{\text{RCL}}$ $\boxed{\text{E}}$	
			$\boxed{\text{HMS}}$	$\Delta\lambda$, D.MS
*	The output is:			
	L_1			
	λ_1			
	C			
	D			
	$L_1 + \Delta L_1$			
	$\lambda_1 + \Delta\lambda$			
	C			


STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
	D			
	:			
	L_2			
	λ_2			
	To compute the highest latitude			
	a great circle route will reach		RCL 0 COS	$\cos L_1$
			RCL 5 SIN	$\sin C$
			$\times \cos^{-1}$	L_{\max}

A passage is planned from Los Angeles ($33^{\circ}45'N$, $118^{\circ}15'W$) to Honolulu ($21^{\circ}18'N$, $157^{\circ}52'W$). Plan a series of rhumb lines to approximate the great-circle track between the two points. Use a 10° longitude increment.

Keystrokes:

Load "Great Circle and Rhumb Line Navigation"

33.45	ENTER	118.15	f A	2220.4104 *** distance
21.18	ENTER	157.52	A B	260.7546 *** initial course
10	C D	—————→		33.4500 *** Los Angeles
				118.1500 ***
				258. *** course
				515. *** distance
				31.5756 ***
				128.1500 ***
				253. ***
				541. ***
				29.1721 ***
				138.1500 ***
				248. ***
				575. ***
				25.4037 ***
				148.1500 ***
				244. ***
				591. ***
				21.1800 *** Honolulu
				157.5200 ***



Example:

A well-known amateur navigator sailed from St. George's Harbor, Bermuda, (32°23'N, 64°41'W), to Horta, Fayal Island, (38°32'N, 28°38'W). Plot the great-circle track at 5 degree intervals.

Keystrokes:


32.23 [ENTER] 64.41 f A
 38.32 [ENTER] 23.38 A B →
 5 CHS C D →

Outputs:

1788.1514 *** distance
 67.8537 *** initial C.C. course
 32.2300 *** St. George's
 64.4100 *** Harbor
 69. *** course
 269. *** distance
 33.5820 ***
 59.4100 ***
 72. ***
 260. ***
 35.1831 ***
 54.4100 ***
 75. ***
 252. ***
 36.2410 ***
 49.4100 ***
 78. ***
 246. ***
 37.1550 ***
 44.4100 ***
 81. ***
 241. ***
 37.5359 ***
 39.4100 ***
 84. ***
 237. ***
 38.1859 ***
 34.4100 ***

02-05

87. ***
235. ***
38.3105 ***
29.4100 ***
89. ***
49. ***
38.3200 *** Horta
28.3800 ***



Example:

A ship leaves Tokyo (35°40'N, 139°45'E) bound for Coos Bay, Oregon (43°22'N, 124°13'W). Plot her position in 20° increments.

Keystrokes:

35.4 **ENTER** 139.45 **CHS f**

A 43.22 **ENTER** 124.13

A B →

20 **CHS C D** →

Outputs:

4213.6169 ***

50.1964 ***

35.4000 *** note the use of a
negative value for
 $\Delta\lambda$

-139.4500 ***

56. ***

1089. ***

45.4247 ***

-159.4500 ***

71. ***

849. ***

50.2423 ***

-179.4500 ***

86. ***

760. ***

51.1631 ***

160.1500 ***

102. ***

788. ***

48.3639 ***


140.1500 ***

115. ***

738. ***

43.2200 ***

124.1300 ***



NOT TO BE USED FOR NAVIGATIONAL PURPOSES

Example:

A ship is bound from Atico, Peru, ($16^{\circ}14'S$, $73^{\circ}37'W$), to San Antonio, Chile, ($33^{\circ}35'S$, $71^{\circ}38'W$). Print a list of points on the great circle between Atico and San Antonio. Use a $24'$ longitude increment.

Keystrokes:


16.14 CHS ENTER↑ 73.37 f A
 33.35 CHS ENTER↑ 71.38
 A B →
 .24 CHS C D →

Outputs:

1046.5098 ***
 174.4801 ***
 -16.1400 ***
 73.3700 ***
 174. ***
 234. ***
 -20.0721 ***
 73.1300 ***
 174. ***
 223. ***
 -23.4936 ***
 72.4900 ***
 174. ***
 211. ***
 -27.1948 ***
 72.2500 ***
 174. ***
 199. ***
 -30.3727 ***
 72.0100 ***
 174. ***
 179. ***
 -33.3500 ***
 71.3800 ***

Now compute a single rhumb line course for this passage.

RCL E → H.MS C D →
 -16.1400 ***
 73.3700 ***
 174. ***
 1047. ***
 -33.3500 ***
 71.3800 ***



DEAD RECKONING



This program is fundamentally a program to compute latitude and longitude along a rhumb line course. Inputs are initial position, course, speed, and initial time. When another time is specified, the program updates the latitude and longitude and prints or displays the results depending on whether the print option is selected or not.

A useful feature of this program is that a time difference may be input and the machine will automatically increment the time and compute the corresponding position, continuing until it is stopped. For example, if a time difference of thirty minutes is specified, the vessel's position at thirty-minute intervals will be displayed or printed. If a time difference of approximately 24 seconds is specified, the display* will show the updated position in real time. The items displayed may be replaced by keying in new values while the appropriate item is being displayed. It may be necessary to experiment with your calculator to determine the correct time interval to specify for accurate dead reckoning.

*It is best not to choose the print mode when Δt is so small.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in initial position:			
	Latitude	L, D.MS	ENTER	
	Longitude	λ, D.MS	A	
3	Key in course information			
	Magnetic variation (CHS if West)	Var, deg.	ENTER	
	Compass deviation (CHS if West)	Dev, deg.	f , B	Compass Corr'n
	Compass course	C _c , deg.	B	True Course
4	Key in speed	S, knots	C	
5	Select printing or no printing		f , A	1 or 0
	For One Leg At A Time			
6	Key in initial time.	t ₀ , H.MS	D	

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
7	Key in next time and compute new position.			
		Δt, H.MS	E	See note*
8	Modify above inputs as appropriate beginning with step 3.			
	For A Continuous List Of Positions			
6	Key in initial time	t ₀ , H.MS	D	
7	Key in time increment	Δt, H.MS	F E	
8	Modify values as appropriate by keying in correct or new values during PAUSE			
	Note: The calculator prints and/or pauses displaying the following:			
	time			
	L			
	λ			
	C			
	S			

Example 1:

A vessel departs at 0900 from 33°40'N, 120°10'W, on course 258 true at 15 knots. Predict her position at 1830.

Keystrokes

33.40 **ENTER** 120.10 **A** 0
ENTER 0 **f** **B** 258 **B** 15
C 9 **D** 18.30 **E** →

Outputs

18.3000 *** time
33.1022 *** 33°10'22"
122.5660 *** 122°57'00"
258.0 *** course
15.0 *** speed

03-03

Example 2:

The navigator of the vessel in Example 1 wishes to plot his dead reckoning position for the next hour at 20 minute intervals.

Keystrokes:

.20 **f E** →


Outputs:

18.5000 ***
33.0920 ***
123.0250 ***
258.0 ***
15.0 ***

19.1000 ***
33.0818 ***
123.0841 ***
258.0 ***
15.0 ***

19.3000 ***
33.0715 ***
123.1431 ***
258.0 ***

15.0 *** Press **R/S** to stop
the list.



03-05

Example 3:

On February 10, 1977 at 0300 GMT a ship leaves Tokyo (35°N, 140°10'E) at 17.8 knots on course 056° true bound for Coos Bay, Oregon (43°22'N, 124°13'W). What DR should her navigator use for a Sun sight at 0700 GMT?

Keystrokes:

35 **ENTER** 140.1 **CHS A 0**
ENTER 0 **f B 56 B 17.8**
C 3 D 7 E —————→


Outputs:

7.0000 ***
35.3949 *** latitude
-141.2221 *** longitude
56.0 *** course
17.8 *** speed

VELOCITY TRIANGLE and COURSE TO STEER




This program is an interchangeable solution for the vector addition problem. Given any two of the vectors shown, the program computes the third.



Compass course is corrected on input for magnetic variation and deviation. True course is decorrrected on output to yield compass course. Remember to update the values used for variation (changes with location) and deviation (changes with heading).

Another program on this same card calculates a course to steer given your location, the location where you want to go, your boat's speed through the water, and the set and drift of the current.



STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in compass corrections:			
	Variation (C HS if West)	Var, deg.	ENTER	
	Deviation (C HS if West)	Dev, deg.	A	
	Using The Velocity Triangle			
	Program			
3	Key in any two of the three vectors:			
	Heading vector			
	compass course	Cc, deg.	ENTER	
	speed	S, knots	A	Ct, deg.
	Current vector			
	set	Set, deg.	ENTER	
	drift	Drift, knots	B	Set, deg.
	Course vector			
	course-made-good	CMG, deg.	ENTER	
	speed-made-good	SMG, knots	C	CMG, deg.
4	Compute the remaining one:			
	Heading vector			
	speed	none	A	Speed, knots
	compass course		R/S	Cc, deg.
	Current vector			
	drift	none	B	Drift, knots
	set		R/S	Set, deg.
	Course vector			
	speed-made-good	none	C	SMG, knots
	course-made-good		R/S	CMG, deg.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
	Using The Course-To-Steer Program			
3	Key in locations of Source			
	Latitude	L_1 , D.MS	ENTER	
	Longitude	λ_1 , D.MS	f D	
	Destination			
	Latitude	L_2 , D.MS	ENTER	
	Longitude	λ_2 , D.MS	D	
4	Compute distance and course to make good	none	f E	Dist., n. mi.
			R S	CMG, deg.
5	Key in current vector			
	set	Set, deg.	ENTER	
	drift	Drift, knots	B	Set, deg.
6	Key in speed through water and compute			
	Compass course to steer	Speed, knots	E	Cc, deg.
	Time to reach destination		R S	t, H.MS
	Speed made good over bottom		R S	SMG, knots

Example:

A vessel making 6 knots through the water is at (45°N, 124°40'W) and she wishes to steer a course toward (44°40' N, 124°10' W). The magnetic variation is 20°5E and there is a 2 knot current setting 090°. What course should she steer?

Keystrokes:

20.5 **ENTER** 0 **f A**
 45 **ENTER** 124.40 **f D**
 44.40 **ENTER** 124.10 **D f E** →

Outputs:

29.20 Distance

R/S →	133.23	Desired true course
90 ENTER ↴ 2 B 6 E →	125.93	Compass course
R/S →	4.00	
R/S →	7.30	Speed-made-good

STAR SIGHT PLANNER




This program produces a list of selected stars that are above the horizon at any place and time. The stars are those used in Volume 1 of H.O. 249. From the list produced by this program, a navigator can easily select stars which are well-distributed in azimuth.

The altitudes computed by the program are displayed to two places in the format D.M to distinguish them from azimuths which are displayed to one decimal place in the format D.d. Even though altitudes are expressed in degrees and minutes, it is doubtful that they are accurate to more than the nearest degree.

Since most star sights are made during twilight, this program also computes the approximate time of the end (or beginning) of civil twilight which corresponds to the middle of the period known as nautical twilight. In polar latitudes during certain seasons, this feature will not work because twilight is not defined.


NAVIGATIONAL

SIDEREAL HOUR



STAR CHART

ANGLE



No.	Name	S.H.A.	DEC.
0	Polaris	0	N. 90
1	Alpheratz	358	N. 29
3	Schedar	350	N. 56
4	Diphda	349	S. 18
5	Achernar	336	S. 57
6	Hamal	329	N. 23
7	Acamar	316	S. 40
8	Menkar	315	N. 4
9	Mirfak	309	N. 50
10	Alderbaran	291	N. 16
11	Rigel	282	S. 8
12	Capella	281	N. 46
16	Betelgeuse	272	N. 7
17	Canopus	264	S. 53
18	Sirius	259	S. 17
20	Procyon	245	N. 5
21	Pollux	244	N. 28
23	Suhail	223	S. 43
24	Miaplacidus	222	S. 70
25	Alphard	218	S. 9
26	Regulus	208	N. 12
27	Dubhe	194	N. 62
28	Denebola	183	N. 15
29	Gienah	176	S. 17
30	Acrux	174	S. 63
32	Alioth	167	N. 56
33	Spica	159	S. 11
34	Alkaid	153	N. 49
37	Arcturus	146	N. 19
38	Rigel Kentaurus	140	S. 61
40	Kochab	137	N. 74
41	Alphecca	127	N. 27
42	Antares	113	S. 26
45	Shaula	97	S. 37
46	Rasalhague	97	N. 13
49	Vega	81	N. 39
50	Nunki	77	S. 26
51	Altair	63	N. 9
52	Peacock	54	S. 57
53	Deneb	50	N. 45
54	Enif	34	N. 10
56	Fomalhaut	16	S. 30

Name	No.	Pronunciation	S.H.A.	DEC.
Achernar	5	ā'kēr·när	336	S. 57
Acrux	30	ā'krūks	174	S. 63
Aldebaran	10	ăl dĕb'ă·răñ	291	S. 16
Alioth	32	ăl'ĭ·ōth	167	N. 56
Alkaid	34	ăl·kad'	153	N. 49
Alphard	25	ăl·fărd	218	S. 9
Alphecca	41	ăl·fĕk'ă	127	N. 27
Alpheratz	1	ăl·fē·rats	358	N. 29
Altair	51	ăl·tắr'	63	N. 9
Antares	42	ăñ·tắr'ēz	113	S. 26
Arcturus	37	ärk·tū·rūs	146	N. 19
Betelgeuse	16	bĕt'ĕl·jūz	272	N. 7
Canopus	17	kă·nō·pūs	264	S. 53
Capella	12	kă·pĕl'ă	281	N. 46
Deneb	53	dĕn'ĕb	50	N. 45
Denebola	28	dĕ nĕb'ō·lă	183	N. 15
Diphda	4	dĭf'dă	349	S. 18
Dubhe	27	dŭb'ē	194	N. 62
Enif	54	ĕn'īf	34	N. 10
Fomalhaut	56	fō'măl·ōt	16	S. 30
Hamal	6	hăm'ăl	329	N. 23
Kochab	40	kō'kăb	137	N. 74
Menkar	8	mĕn'kăr	315	N. 4
Miaplacidus	24	mī'ă·plăs'ĕ·dūs	222	S. 70
Mirfak	9	mîr'făk	309	N. 50
Nunki	50	nŭn'kē	77	S. 26
Peacock	52	pē'kōk	54	S. 57
Pollux	21	pôl'ūks	244	N. 28
Polaris	0	pôl·lă'ris	0	N. 90
Procyon	20	prō'si·ōn	245	N. 5
Rasalhague	46	răs'ăl·hă'gwē	97	N. 13
Regulus	26	rĕg'ü·lüs	208	N. 12
Rigel	11	rī'jĕl	282	S. 8
Rigel Kentaurus	38	rī'jil kĕn·tō'rūs	140	S. 61
Schedar	3	shĕd'ăr	350	N. 56
Shaula	45	shô'lă	97	S. 37
Sirius	18	sîr'ĭ·ūs	259	S. 17
Spica	33	spî'kă	159	S. 11
Suhail	23	soo·hăl'	223	S. 43
Vega	49	vĕ'gă	81	N. 39

Guide to pronunciations:

făte, ādd, finăl, lăst, ābound, ārm; bĕ, ĕnd, camĕl, readĕr; īce, bît, anămal; över, pöetic, hăt, lôrd, mōon;
cûbe, ūnite, tûb, cirăs, ūrn.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load Star Data Card (NAV-05A2)			
2	Load Star Sight Planner			
	program			
3	Select whether to print or not (repeat if necessary)	none	f A	1 = print 0 = no print
4	Key in approximate location			
	Latitude	L, D.MS	ENTER+	
	Longitude	λ , D.MS	A	
5	Key in date			
	Year	Y	ENTER+	
	Month	M	ENTER+	
	Day	D	B	
6	Key in time and produce list of available stars	GMT. H.MS	C	List*
7	For a new time, repeat step 6.			
8	For a new date, start over at step 4. or			
5	Key in date and compute list of stars available at dawn			
	Year		ENTER+	
	Month		ENTER+	
	Day		D	GMT, List**
6	For any changes, start over at step 4. or			

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
5	Key in date and compute list of stars available at dusk			
	Year	Y	ENTER ↴	
	Month	M	ENTER ↴	
	Day	D	E	GMT, List
6	For any changes, start over at step 4.			
*	The list consists of:			
	space			
	star # (DSP0)			
	H _c (DSP2)			
	Z _n (DSP1)			
	:			

Example 1:

What evening stars were available to a navigator near the Azores at (38°N, 32°W) on the evening of June 19, 1975?

Keystrokes:

38 ENTER ↴ 32 A 1975 ENTER ↴
 6 ENTER ↴ 19 E —————→

Outputs:

22.03 *** GMT at Dusk
 53. *** Deneb
 19.24 ***
 47.5 ***
 51. *** Altair
 7.21 ***
 84.3 ***
 49. *** Vega
 36.53 ***
 65.7 ***
 46. *** Rasalhague
 36.24 ***
 102.8 ***

- 42. *** Antares
- 16.54 ***
- 145.0 ***
- 41. *** Alphecca
- 67.18 ***
- 112.0 ***
- 40. *** Kochab
- 53.24 ***
- 6.3 ***
- 37. *** Arcturus
- 70.22 ***
- 163.9 ***
- 34. *** Alkaid
- 78.52 ***
- 352.1 ***
- 33. *** Spica
- 40.23 ***
- 190.8 ***
- 32. *** Alioth
- 66.57 ***
- 334.0 ***
- 29. *** Gienah
- 30.04 ***
- 206.2 ***
- 28. *** Denebola
- 53.22 ***
- 240.0 ***
- 27. *** Dubhe
- 54.21 ***
- 326.4 ***
- 26. *** Regulus
- 32.57 ***
- 258.9 ***
- 25. *** Alphard
- 11.45 ***
- 248.6 ***
- 21. *** Pollux
- 14.23 ***
- 294.5 ***

12. *** Capella
5.05 ***
327.9 ***
3. *** Schedar
5.25 ***
10.7 ***
0. **** Polaris
38.00 ***
360.0 ***

Example 2:

Produce a list of northern hemisphere stars by keying in a position near the North Pole.

Keystrokes:

The keystrokes are left for the reader.

Outputs:

ALMANAC INTERPOLATOR



A sextant, this program, and The Nautical Almanac are all the items necessary to determine the information needed to plot a line of position from any celestial sight. The program can also be used to compute the sextant setting for locating a difficult-to-see object.

The program requires GHA and DEC for the whole hours immediately preceding and immediately following the time of the observation. It then interpolates to find the location of the object at that time.

The navigator's dead-reckoning location, height-of-eye, and sextant reading are input. The program then corrects the sextant reading for dip of the horizon and mean refraction, compares the corrected reading to the computed position of the object sighted, and displays the azimuth and altitude intercept.

Lines of position from this program may be combined with position lines derived from other programs in this pac. Simply press **P+S** between LOP's and then run the position fixing program.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in position			
	Latitude (CNS if South)	L, D.MS	ENTER	
	Longitude (CNS if East)	λ, D.MS	f A	L, deg.
3	Key in Height of Eye	HE, feet	f B	DIP, deg.
For MOON sights				
	Press until a 1 appears		f C	0 or 1
5	Key in Moon's semidiameter			
	(CNS if upper limb sight)	SD, D.MS	f D	SD, deg.
6	Continue with step 6 below			
For SUN and STAR sights				
4	Press until a 0 appears		f C	0 or 1

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
5	(SUN sights only) Key in Sun's semidiameter (CHS if upper limb sight)	SD, D.MS	$f \boxed{D}$	SD, deg.
6	Key in time of sight	GMT, H.MS	\boxed{A}	INT [GMT]
7	Key in: GHA of object at previous whole hour GHA of object at next whole hour SHA if object is a star	α_1 , D.MS α_2 , D.MS SHA, D.MS	$\boxed{\text{ENTER}+}$ \boxed{B} $\boxed{R/S}$	
	Key in: DEC of object at previous whole hour DEC of object at next whole hour	δ_1 , D.MS δ_2 , D.MS	$\boxed{\text{ENTER}+}$ \boxed{C}	
9	Key in sextant altitude and compute Azimuth (paused) Altitude intercept (- = towards + = away) to see azimuth again	h_s , D.MS	\boxed{D} $\boxed{Z_n}$	Z _n , deg. a, miles
10	To precompute a sextant setting for finding difficult-to-see objects then display the direction to face		\boxed{E} $\boxed{R/S}$	h_s , D.MS Z _n , deg.
11	For another sight on the same object, key in new time and continue with step 9 or 10	GMT, H.MS	$f \boxed{E}$	

06-03

Example 1:

On June 19 a navigator near the Azores at (38°N, 32°W) needed to find the planet Venus to complete a fix with the Sun. Where should he have looked at 1625 GMT?

Keystrokes:

38 [ENTER] 32 f A 10

f B f C

16.25 A

11.0636 [ENTER] 26.0642 B

18.4012 [ENTER] 18.3924

C E

R/S

Outputs:

0.00

repeat f C until
0.00 appears

66.5327

sextant altitude
azimuth

142.5104

Example 2:

Where will Venus be found at 1650?

Keystrokes:

16.50 f E E

R/S

Outputs:

69.2243

sextant altitude
azimuth

156.9574

JUNE 18, 19, 20 (WED., THURS., FRI.)

		ARIES	VENUS	3.9	MARS	+0.8	JUPITER	-1.9	SATURN	-0.4	STARS	
GM.	HA	Dec.	HA	Dec.	HA	Dec.	HA	Dec.	HA	NAME	HA	
18 00	265 35.6	33 03 1 N 19 12.9	246 02 2 N 6 27.7	246 57.2 N 6 34.5	255 04.6 N 22 01.2	Acumor	115 46.3 N 540 24.0					
01	280 39.5	14 31 12 1 261 02 9	284 261 59.3	346 3 370 06.7	01 1 Achernar	195 48.2 N 57 27.4						
02	295 41.8	16 52 22 2 113 2 216 03.1	293 227 01.4	347 1 185 08.9	01 1 Arrox	173 41.1 N 62 58.2						
03	1 44.2	17 56 13 2 15 291 00.8	295 29 55.8	349 3 30 2.6	01 1 Adhara	150 35.3 S 528 56.4						
04	52 47.1	19 41 03 3 34 7 316 00.5	303 507 05.5	349 3 131 12.5	01 2 Aldebaran	147 34.4 N 27 6.6						
05	340 49.2	20 53 04 4 08 4 31 56.0	304 52 37.6	351 1 131 12.5	01 2 Aldebaran	147 34.4 N 27 6.6						
06	356 5.6	21 13 0 416 06.5	316 06 8.4	351 1 57 0.4	01 2 Alith	160 45.8 N 56 05.8						
07	193 54.7	236 03.5	317 07 2.9	352 1 57 0.4	01 2 Alivid	153 41.0 N 49 26.3						
W 08	25 56.6	251 03.6	06 4	353 2 57 21.1	02 4 Al Nit	22 19.2 N 40 04.5						
D 09	40 50.9	266 03.2	05 5	353 2 57 21.1	02 4 Al Nit	26 15.6 S 1 13.1						
N 10	50 11.5	291 03.2	04 5	354 3 57 18.1	02 4 Alphard	38 24.3 S 8 33.3						
E 11	71 54.9	295 03.2	04 5	355 3 57 18.1	02 4 Alphard	38 24.3 S 8 33.3						
S 12	86 0.4	311 03 9 N 19 03.7	60 1 21 4 N 4	356 4 57 17.9	02 4 Alphecca	127 44.5 N 2 47.9						
D 13	101 58.9	326 03.0	40 4	357 4 57 17.9	02 4 Alphecca	118 33.0 N 28 57.2						
A 14	116 11.3	341 04.1	01 0	358 4 57 17.9	02 6 Altair	9 35.7 N 8 48.2						
Y 15	131 11.8	356 04.1	19 36.8	359 4 57 17.9	02 6 Altair	91 43.8 S 42 26.0						
16	146 16.8	1 04.1	18 59.8	360 4 57 17.9	02 6 Antares	11 36.9 S 26 22.3						
17	161 18.7	1 04.1	09 3	361 4 57 17.9	02 6 Antares	11 36.9 S 26 22.3						
18	176 1.0	41 04 1 N 28 58.3	156 0 20 0 N 1	362 4 57 17.9	02 6 Antares	14 1.5 N 14 15.6						
19	194 1.7	54 44.5	57 9	363 4 57 17.9	02 6 Antares	168 27.8 N 48 44.5						
20	208 24.7	57 14.5	56 7	364 4 57 17.9	02 6 Antares	134 25.7 N 26 26.3						
Z 21	223 27.6	59 14.5	55 8	365 4 57 17.9	02 6 Belkis	11 29.9 N 6 16.7						
22	237 31.4	59 5	55 9	366 4 57 17.9	02 6 Belkis	11 29.9 N 6 16.7						
23	252 33.5	1 14.4	54 0	367 4 57 17.9	02 6 Belkis	11 29.9 N 6 16.7						
24	267 35.5	26 04.4	49 3	368 4 57 17.9	02 6 Belkis	11 29.9 N 6 16.7						
19 00	265 37.0	331 03 9 N 19 12.9	52 4	369 4 57 17.9	02 6 Belkis	11 29.9 N 6 16.7						
01	281 38.4	48 5.1	52 6	370 4 57 17.9	02 6 Belkis	11 29.9 N 6 16.7						
02	294 40.7	61 0.8	51 8	371 4 57 17.9	02 6 Belkis	11 29.9 N 6 16.7						
03	31 4.4	70 0.7	50 9	372 4 57 17.9	02 6 Denebok	11 11.7 N 14 41.1						
04	32 6 45.8	191 05.3	50 1	373 4 57 17.9	02 6 Denebok	11 11.7 N 14 41.1						
05	44 4.6	206 0.4	49 3	374 4 57 17.9	02 6 Denebok	11 11.7 N 14 41.1						
06	58 0.6	221 18.5 N 8 48.8	336 21 3 N	375 4 57 17.9	02 6 Denebok	124 39.7 N 52 41.0						
07	73 0.2	238 0.6	47 7	376 4 57 17.9	02 6 Denebok	136 22.0 N 56 58.4						
H 08	79 0.8	252 0.7	46 8	377 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
I 09	41 58.3	266 10.8	46 8	378 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
U 10	57 92.6	281 0.9	46 2	379 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
R 11	73 0.4	296 10.3	44 4	380 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
S 12	87 18.8	31 0.6	41 8	381 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
D 13	102 0.6	326 0.3	42 7	382 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
A 14	117 12.5	34 0.6	43 7	383 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
Y 15	132 12.9	356 0.5	43 1	384 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
16	147 15.4	11 06.6	40 2	385 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
17	162 17.9	26 0.7	39 4	386 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
18	173 2.1	42 0.6 N 18 38.6	036 24 4 N 6 56.5	387 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
19	192 1.8	46 0.6	37 8	388 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
20	207 0.5	57 0.7	36 9	389 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
Z 21	222 0.7	56 2	36 7	390 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
22	233 0.6	55 3	35 7	391 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
23	250 12.7	1 1.7	34 4	392 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
20 00	265 38.1	331 02 5 N 18 33.6	45 4 57 8.1	393 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
01	281 49.9	25 0.7	35 1	394 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
02	297 49.2	37 0.7	31 9	395 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
03	31 42.5	37 6 0.7	31 1	396 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
04	32 45.0	49 0.6	30 3	397 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
05	342 47.4	206 0.6	29 4	398 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
06	367 49.9	221 0.6 N 25 0.6	306 4 57 16.4	399 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
07	382 52.4	236 0.6	27 6	400 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
F 08	397 54.5	251 0.6	18 4	401 4 57 17.9	02 6 Enif	136 22.0 N 56 58.4						
R 09	42 47.5	366 0.7	26 7	402 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
I 10	57 59.8	281 0.8	25 3	403 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
11	73 0.2	294 0.9	24 4	404 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
D 12	88 4.7	31 39 1 N 18 21.6	56 43 2 N 7.0	405 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
A 13	103 0.7	32 0.7	28 8	406 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
Y 14	118 0.6	34 0.6	19 7	407 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
15	133 1.2	356 0.5	21 1	408 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
16	143 1.5	14 1.7	20 1	409 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
17	161 1.9	26 0.9	19 4	410 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
18	176 19.5	41 10.0 N 8 10.1	356 0 57 8.1	411 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
19	191 22.1	56 10.1	27 7	412 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
20	206 24.4	57 10.3	18 9	413 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
Z 21	223 26.4	58 10.4	16 1	414 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
22	238 29.3	101 10.6	15 2	415 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
23	253 31.6	116 10.7	14 4	416 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						
Mer	Poss	8 12.6	2.1	417 4 57 17.9	02 6 Menkar	134 41.0 N 36 36.7						

JUNE 18, 19, 20 (WED., THURS., FRI.)

G.M.T.	ARIES -3.9			MARS +0.8			JUPITER -1.9			SATURN +0.4			STARS			
	GHA	GHA	Dec	GHA	Dec	GHA	Dec	GHA	Dec	Name	S.H.A.	Dec.				
18 00	265 36.8	131 03.1 N19 12.9		246 02.2 N 6 27.7	246 57.2 N 6 34.5	155 04.6 N22 01.2					Acomar	315 40.3	S40 24.0			
01	280 39.3	146 03.1	121	261 02.9	284	261 59.3	34.6	170 06.7	01.1	Achernar	335 48.2	N57 21.4				
02	295 41.8	161 03.2	113	276 03.7	291	277 01.4	34.7	185 08.9	01.1	Acrux	173 41.1	S62 58.2				
03	310 44.2	176 03.3	105	291 04.5	298	292 03.4	34.9	200 11.0	01.1	Adhara	255 35.3	S28 56.4				
04	325 46.7	191 03.3	097	306 05.2	305	307 05.5	35.0	215 13.1	01.0	Aldebaran	291 22.4	N16 27.6				
05	340 49.2	206 03.4	089	321 06.0	312	322 07.6	35.1	230 15.3	01.0							
06	355 51.6	221 03.5 N19 08.1		336 06.8 N 6 31.8	337 09.7 N 6 35.3	245 17.4 N22 00.9					Alioth	166 45.5	N56 05.8			
07	10 54.1	236 03.5	072	351 07.5	325	352 11.8	35.5	260 19.5	00.9	Algoud	153 21.0	N49 26.3				
W 08	25 56.6	251 03.6	064	8 08.3	33.2	7 13.9	35.6	275 21.7	00.9	Al-Nir	28 19.2	S47 04.5				
E 09	40 59.0	266 03.7	056	21 09.1	33.9	22 16.0	35.7	290 23.8	00.8	Alnilam	276 15.6	S 1 13.1				
D 10	56 01.5	281 03.8	048	36 09.8	34.6	37 18.1	35.9	305 25.9	00.8	Alphard	218 24.3	S 8 33.3				
N 11	71 03.9	296 03.8	040	51 10.6	35.2	52 20.2	36.0	320 28.1	00.7							
S 12	81 06.4	311 03.9 N19 03.2		66 11.4 N 6 35.9	67 22.3 N 6 36.2	335 30.2 N22 00.7					Alphecca	126 34.8	N26 47.9			
D 13	101 08.9	326 04.0	024	81 12.1	36.6	82 24.4	36.3	350 32.4	00.7	Alpheratz	158 13.0	N28 57.2				
A 14	116 11.3	341 04.1	016	96 12.9	37.3	97 26.5	36.4	5 34.5	00.6	Altair	62 35.7	N 8 48.2				
Y 15	131 13.8	356 04.1	19 00.8	111 13.7	38.0	112 28.6	36.6	20 36.6	00.6	Ankoo	353 43.8	S42 26.0				
M 16	146 16.3	11 04.2	18 59.9	126 14.4	38.7	127 30.6	36.7	35 38.8	00.5	Antares	113 00.9	S26 22.7				
L 17	161 18.7	26 04.3	59.1	141 15.2	39.3	142 32.7	36.9	50 40.9	00.5							
I 18	176 21.2	41 04.4 N18 58.3		156 16.0 N 6 40.0	157 34.8 N 6 37.0	65 43.0 N22 00.5					Arcturus	146 21.5	N19 18.6			
V 19	191 23.7	56 04.5	57.5	171 16.7	40.7	172 36.9	37.1	80 45.2	00.4	Atria	108 27.8	S68 59.1				
Z 20	206 26.1	71 04.6	56.7	186 17.5	41.4	187 39.0	37.3	95 47.3	00.4	Avior	234 30.2	S59 26.1				
C 21	221 28.6	86 04.7	55.9	201 18.3	42.1	202 41.1	37.4	110 49.4	00.3	Bellatrix	279 02.9	N 6 19.6				
R 22	236 31.1	101 04.8	55.0	216 19.0	42.8	217 43.2	37.6	125 51.6	00.3	Betelgeuse	271 32.5	N 7 24.1				
S 23	251 33.5	116 04.8	54.2	231 19.8	43.4	232 45.3	37.7	140 53.7	00.3							
19 00	266 36.0	131 04.9 N18 53.4		246 20.6 N 6 44.1	247 47.4 N 6 37.8	155 55.8 N22 00.2					Canopus	264 09.3	S52 41.0			
01	281 38.4	146 05.0	52.6	261 21.3	44.8	262 49.5	38.0	170 58.0	00.2	Capella	281 17.0	N45 58.4				
02	299 40.9	161 05.1	51.8	276 22.1	45.5	277 51.6	38.1	186 0.1	00.1	Deneb	49 50.5	N45 11.5				
03	311 43.4	176 05.2	50.9	291 22.9	46.2	292 53.7	38.3	201 02.2	00.1	Denebola	183 02.7	N14 42.5				
04	326 45.8	191 05.3	50.1	306 23.6	46.8	307 55.8	38.4	216 04.4	00.1	Diphda	349 24.5	S18 07.1				
05	341 48.3	206 05.4	49.3	321 24.4	47.5	322 57.9	38.5	231 06.5	00.0							
06	356 50.8	221 05.5 N18 49.5		326 25.2 N 6 48.2	338 00.0 N 6 38.8	246 08.6 N22 00.0					Dubhe	194 26.6	N61 53.2			
07	11 53.2	236 05.6	47.7	351 25.9	48.9	353 02.1	38.8	261 10.8	21 59.9	Elnath	278 49.0	N28 35.7				
T 08	26 55.7	251 05.7	46.8	6 26.7	49.5	8 04.2	39.0	276 12.9	59.9	Ethann	90 58.8	N1 29.6				
H 09	41 58.2	266 05.8	46.0	21 27.5	50.2	23 06.3	39.1	291 15.0	59.9	Enif	34 14.9	N 9 45.8				
U 10	57 00.6	281 05.9	45.2	36 28.2	50.9	38 08.4	39.2	306 17.2	59.8	Fomalhaut	15 55.2	S29 44.9				
R 11	72 03.1	296 06.0	44.4	51 29.0	51.6	53 10.5	39.4	321 19.3	59.8							
S 12	87 05.5	311 06.1 N18 43.5		66 29.8 N 6 52.3	68 12.6 N 6 39.5	336 21.4 N21 59.7					Gacrux	172 32.6	N56 58.9			
D 13	102 08.0	326 06.3	42.7	81 30.5	52.9	83 14.7	39.7	351 23.6	59.7	Gienah	176 21.6	S12 24.5				
A 14	117 10.5	341 06.4	41.9	93 31.3	53.6	98 16.7	39.8	6 25.7	59.7	Hadai	149 28.0	N60 15.6				
Y 15	132 12.9	356 06.5	41.1	111 32.1	54.3	113 18.8	39.9	21 27.8	59.6	Hamal	328 33.1	N23 07.7				
M 16	147 15.4	11 06.6	40.2	126 32.8	55.0	128 20.9	40.1	36 30.0	59.6	Kaus Aust.	84 21.2	S34 23.7				
L 17	162 17.9	26 06.7	39.4	141 33.6	55.7	143 23.0	40.2	51 32.1	59.5							
I 18	177 20.3	41 06.8 N18 38.6		156 34.4 N 6 56.3	158 25.1 N 6 40.4	66 34.2 N21 59.5					Kochab	137 18.0	N74 15.6			
V 19	192 22.8	56 06.9	37.8	171 35.1	40.5	172 27.2	40.5	81 36.4	59.5	Markab	14 06.6	N15 04.4				
Z 20	207 25.3	71 07.1	36.9	186 35.9	41.8	188 29.3	40.6	96 38.5	59.4	Menkar	314 45.1	N 3 59.6				
C 21	222 27.7	86 07.2	36.1	201 36.7	58.4	203 31.4	40.1	1 1.4	40.6	Menket	148 41.0	S15 15.2				
R 22	237 30.2	101 07.3	35.3	216 37.4	59.0	218 33.5	40.9	176 42.7	59.3	MIplacidus	221 46.3	S69 37.3				
S 23	252 33.7	116 07.4	34.4	231 38.2	6 59.7	233 33.6	41.0	141 44.9	59.3							
20 00	267 35.1	131 07.5 N18 33.6		246 39.0 N 7 00.4	248 37.7 N 6 41.2	156 47.4 N21 59.3					Mirtak	309 21.6	N49 46.3			
01	281 37.6	146 07.7	32.8	261 39.7	01	263 39.8	41.3	171 49.1	59.2	Nunki	76 33.2	Z26 19.6				
02	297 40.0	161 07.8	31.9	276 40.5	01	278 41.9	41.5	186 51.3	59.2	Peacock	54 03.5	S56 48.6				
03	312 42.5	176 07.9	31.1	291 41.3	02	293 44.0	41.6	201 53.4	59.1	Pollux	244 02.9	N28 05.2				
04	327 45.0	191 08.0	30.3	303 42.0	01	308 46.1	41.7	216 55.5	59.1	Rigil Kent.	140 30.2	S60 44.3				
05	342 47.4	206 08.2	29.4	321 42.8	01.8	323 48.2	41.9	231 57.7	59.1	Procyon	245 29.8	N 5 17.2				
06	357 49.9	221 08.3 N18 28.6		336 43.6 N 7 04.8	338 50.3 N 6 42.0	240 59.8 N21 59.0					Rasalhague	96 32.5	N12 34.7			
07	12 52.4	236 08.4	27.8	351 44.3	05.1	353 52.4	42.1	262 01.9	59.0	Regulus	208 13.9	N12 05.2				
08	27 54.8	251 08.6	26.9	6 45.1	05.8	8 54.5	42.3	277 04.1	58.9	Rigel	281 39.8	S 8 18.8				
F 09	42 57.3	266 08.7	26.1	21 45.9	06.5	23 56.6	42.4	292 06.2	58.9	Rigel Kent.	140 30.2	S60 44.3				
R 10	57 59.8	281 08.8	25.3	34 46.6	07.2	38 58.7	42.6	307 08.3	58.9	Sobk	102 44.9	S15 47.7				
I 11	73 02.2	296 09.0	24.4	51 47.4	07.8	54 00.8	42.7	322 10.5	58.8							
D 12	88 04.7	313 09.1 N18 23.6		66 48.2 N 7 08.5	69 02 9 N 6 42.8	1337 12.6 N21 58.8					Schedar	350 13.2	N56 24.0			
A 13	103 07.2	326 09.2	22.8	81 48.9	09.2	84 05.0	43.0	352 14.7	58.7	Shaula	97 00.2	S37 05.2				
Y 14	118 09.6	343 09.4	21.9	96 49.7	09.9	99 07.2	43.1	7 16.9	58.7	Sirius	758 59.2	S16 41.1				
15	133 12.1	356 09.5	21.1	111 50.5	10.5	114 09.3	43.2	22 19.0	58.7	Spica	159 01.2	S11 02.1				
16	148 14.5	11 09.7	20.2	126 51.2	11.2	129 11.4	43.4	37 21.1	58.6	Suhail	273 13.7	S43 20.3				
17	163 17.0	26 09.8	19.4	141 52.0	11.9	144 13.5	43.5	52 23.3	58.6							
18	178 19.5	41 10.0 N18 18.6		156 52.8 N 7 12.6	159 15.6 N 6 43.4	67 25.4 N21 58.5					Vega	80 57.8	N38 45.7			
19	193 21.9	56 10.1	17.7	171 53.6	13.2	174 17.7	43.8	82 27.5	58.5	Zuben'ubi	137 36.7	S15 56.5				
20	208 24.4	71 10.3	16.9	186 54.3	13.9	189 19.8	43.9	97 29.6	58.5							
21	223 26.9	86 10.4	16.1	201 55.1	14.6	204 21.9	44.1	112 31.8	58.4							
22	238 29.3	101 10.6	15.2	216 55.8	15.2	219 24.0	44.2	127 33.9	58.4							
23	253 31.8	116 10.7	14.4	231 56.6	15.9	234 26.1	44.3	142 36.0	58.3							
Mer Pass	6 12.6	r 01	d 08	r 08	d 01	r 21	d 01	r 21	d 00		Jupiter	341 11.4	7 28			
											Saturn	249 19.8	13 34			

S.H.A. Mer Pass
r =
d =

SUN LINE OF POSITION



The Sun Almanac program computes altitude intercepts from Sun sights. Sextant readings are corrected for dip of the horizon, mean refraction, and semidiameter of the Sun. The almanac equations used agree, to acceptable tolerances (less than .5 mi. error), with available almanacs from 1933 to 1978.*

Sun lines obtained using this program may be combined with position lines derived from other programs in this pac. Simply press **P:S** between LOP's and then run the position fixing program.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in position			
	Latitude (COS for South)	L, D.MS	ENTER	
	Longitude (COS for East)	λ , D.MS	I A	
3	Key in height of eye	HE, feet	I B	
4	Key in date:			
	Year	Y	ENTER	
	Month	M	ENTER	
	Day	D	A	360.0
5	Key in time and compute:			
	Sun's azimuth	GMT	B	Z _n , deg.
	Sun's Altitude			H _c , D.MS
6	Key in sextant altitude and compute intercept (- = Toward + = Away)			
	For lower limb sight	h _s , D.MS	D	a, miles
	For upper limb sight	h _s , D.MS	E	a, miles
	For a new time, go to step 5.			
	For a new sextant height, go to step 6.			

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
	To use this program with other			
	cards in the LOP series, press			
	P/S before running another			
	LOP card, then run the FIX			
	card.			
	To store the results of two Sun			
	sights, press P/S between			
	sights and run again starting			
	with step 2.			

Example:

On June 19, 1975, a navigator obtained an uncorrected altitude of $58^{\circ}06'$ for the Sun at $16^{\text{h}}23^{\text{m}}51^{\text{s}}$ from a height of eye of 10 feet. His dead reckoning position was (38°N , 32°W). What is the altitude intercept resulting from this Sun sight?

Keystrokes:


38 **ENTER** 32 **f A** 10 **f B**
 1975 **ENTER** 6 **ENTER** 19
A 16.2351 **B** →
 58.06 **D** →

Outputs:

252.9 *** Z_n
 57.5007 H_e (in display)
 -28.0 28 miles toward

*Note: Although almanacs were not available beyond 1978 when we developed this program, there is no reason to believe that it will not work for a long time.

07-03



STAR LINE OF POSITION

STAR LINE OF POSITION				
Y+M+D GMT+Z ₀ H _C h _c +a				
STAR DATA 1				
Akroti 32	Altair 34	Al Nair	Alniam	Alphard 25
STAR DATA 2				
Arcturus 37	Atria	Avtor	Betelgeuse 16	
STAR DATA 3				
Dubhe 27	Elnath	Eltium	Enif 54	Fomalhaut 56
STAR DATA 4				
Kochab 40	Makarib	Menkar 8	Menkent	Muphridius 24
STAR DATA 5				
Procyon 20	Rasalhague 46	Regulus 26	Rigel 11	Rigil Kent 38
STAR DATA 6				
Sherid 23	Vega 49	Zubenelgenubi		

The Star Almanac program computes altitude intercepts from star sights. Sextant readings are corrected for dip of the horizon and mean refraction. The almanac equations used account for aberration, precession and nutation of the equinoxes, and partially for proper motion of the stars themselves. The data cards include all 57 navigational stars plus Polaris.

Star lines obtained using this program may be combined with position lines derived from other programs in this pac. Simply press **P+S** between LOP's and then run the position fixing program.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load one of the STAR DATA cards and select the appropriate star (they are arranged alphabetically)			
2	Load this program			
3	Key in position			
	Latitude (CHS for South)	L, D.MS	[ENTER]	
	Longitude (CHS for East)	λ , D.MS	[I A]	
4	Key in height of eye and compute dip	HE, feet	[I B]	DIP, deg.
5	Key in date:			
	Year	Y (A.D.)	[ENTER]	
	Month	M (1 to 12)	[ENTER]	
	Day	D (1 to 31)	[A]	360
6	Key in time of sight and compute:			
	Star's azimuth	GMT, H.MS	[B]	Z _n , deg.
	Star's altitude			H _c , D.MS
7	Key in sextant altitude and compute altitude intercept			
	(- = Toward; + = Away)	h _s , D.MS	[C]	a, miles

08-03

Example:

A navigator at (35°53'05"N, 141°46'36"E) shoots Deneb from a height of eye of 65 feet on February 10, 1977, at 0820 GMT. His sextant reading is 20°25'. Plot the LOP.

Keystrokes:

Load Star Data 3

f C (Deneb) —————→

Outputs:

45.17 ignore display

Load Star Line of Position

35.5305 **ENTER** 141.4636

CHS f A 65 **f B** 1977

ENTER 2 **ENTER** 10 **A**

8.20 **B** —————→


311.8 *** Z_n

20.1843 H_c

20.25 **C** —————→

4.1 away

08-04



BEARING LINE OF POSITION

BEARING LINE OF POSITION
 L_1, λ_1, Z_1 L_2, λ_2, Z_2 C+S+T+L $\rightarrow L, \lambda$

This program computes your location given bearings to two known objects. The fix may be a stationary fix or a running fix. If only one object is available for sighting, it may be used as both the first and second objects.

This program also may be used in conjunction with one of the other LOP cards and "Fix From Two Lines of Position" to produce a fix based on one bearing and some other line of position.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in coordinates and bearings of two objects			
	Latitude of first object	L_1 , D.MS	ENTER	
	Longitude of first object	λ_1 , D.MS	A	
	Bearing of first object	Z_1 , deg.	R S	
	Latitude of second object	L_2 , D.MS	ENTER	
	Longitude of second object	λ_2 , D.MS	B	
	Bearing of second object	Z_2 , D.MS	R S	
	For a Stationary Fix			
3	Compute fix latitude	none	D	L , D.MS
	longitude		R S	λ , D.MS
	For a Running Fix			
3	Key in:			
	Course (true)	C, deg.	ENTER	
	Speed	S, knots	ENTER	

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
	Time on course and compute			
	latitude	Δt, H.MS	C	L, D.MS
	longitude		R/S	λ, D.MS
	To use this card to make an LOP for use with an LOP from another program, key in only one object and bearing in step 2. Be sure to press R/S between the LOP's.			

Example 1:

A boat in San Luis Obispo Bay observes White Rock, (35°09'48"N, 120°42'31"W), bearing 346° and Howell Rock, (35°09'32"N, 120°43'38"W), bearing 318°9. What is the position of the boat?

Keystrokes:35.0948 **ENTER** 120.4231A 346 **R/S**35.0932 **ENTER** 120.4338 **B**318.9 **R/S** **D** →**Outputs:**

35.0758 ***

120.4157 ***

Example 2:

A navigator bound for the entrance to Tillamook Bay (45°34'N, 123°57'40"W) on course 035° observes the radio beacon on Yaquina Head (44°40'40"N, 124°04'45"W) to bear 137.5. Where is the fix?

Keystrokes:

Load "Bearing Line of Position"

45.34 **ENTER** 123.5740 **A**35 **R/S** 44.4040 **ENTER**124.0445 **B** 137.5 **R/S****Outputs:**

Load "Fix from Two Lines of Position"

0 **A** → 45.0036 L 45°0'36'' N
R/S → 124.3040 λ 124°30'40'' W

09-03

43'

120 42'


41'

UNITED STATES—WEST COAST


CALIFORNIA

SAN LUIS OBISPO BAY

PORT SAN LUIS



NOT TO BE USED FOR NAVIGATIONAL PURPOSES



TWO-ANGLE LINE OF POSITION

TWO-ANGLE LINE OF POSITION

$L_A + \lambda_A$ $Z_{AC} + L_A$ $\lambda_C + \lambda_E$ $Z_C + Z_E$ $Z_{CE} + L_A$ $L_E + \lambda_E$

This program allows you to determine a fix from three objects at known locations. The coordinates of three stations are input along with the approximate bearing of the second station and the horizontal sextant angles between the first and second stations and second and third stations. From each horizontal sextant angle an LOP and an approximate fix are computed. A more accurate stationary fix may be obtained by continuing with the FIX card using a time increment of zero.

This program may also be used to store an LOP from two stations for use by the FIX card by entering only two stations, the approximate bearing of the second station, and the horizontal sextant angle between the two stations.

By providing the approximate bearing of the second station, the "revolver" problem, occurring when the fix is on the same circle as the three stations, is avoided.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in position of station A:			
	Latitude (CHS if South)	L_A , D.MS	ENTER ↓	
	Longitude (CHS if East)	λ_A , D.MS	A	
3	Key in position of station C:			
	Latitude (CHS if South)	L_C , D.MS	ENTER ↓	
	Longitude (CHS if East)	λ_C , D.MS	C	
4	Key in true bearing to station C	Z_C , deg.	R S	
5	Key in position of station E:			
	Latitude (CHS if South)	L_E , D.MS	ENTER ↓	
	Longitude (CHS if East)	λ_E , D.MS	E	
6	Key in horizontal sextant angle between stations A and C and compute a fix	Z_{AC} , D.MS	B	L , D.MS
	Note: This approximate fix depends on the accuracy of Z_C .		R S	λ , D.MS

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
7	Key in horizontal sextant angle between stations C and E and			
	compute a fix	Z_{CE} , D.MS	D	L, D.MS
			R-S	λ , D.MS
	Note: This approximate fix depends on the accuracy of Z_c .			
	To get an accurate stationary fix, load the "Fix by two LOP's" card, key in zero, and press			
	A .			
	To obtain an LOP from two stations, perform only steps 1, 2, 3, 4, and 6. Be sure to press			
	PSS between LOP's.			
	If you are going to use this card to produce an LOP for a running fix, Z_c must be accurate.			

The following problem is from Bowditch, p. 282. It is based on these fictitious points.

	Latitude	Longitude
Jones Point Light	40°20'6N	164°20'5W
Parker Point Light	40°23'7N	164°21'2W
Point Carlson Light	40°22'0N	164°28'3W
North Baker Range Light	40°39'9N	164°38'2W
South Baker Range Light	40°31'5N	164°37'7W
Hanford Mid-channel Buoy	40°22'9N	164°34'1W
Water tower	40°36'2N	164°27'9W
West Bank Lightship	40°39'5N	164°20'3W
Cupola	40°25'4N	164°21'3W

Example 1:

Using horizontal sextant angles, a navigator measures the angle between South Baker Range Light and Point Carlson Light to be $85^{\circ}45'$. At the same time an assistant measures the angle between Parker Point Light and Point Carlson Light to be $35^{\circ}10'$. Find the fix at the time of observation.

Keystrokes:

Load "Two-Angle LOP"

40.3130 **ENTER**

164.3442 **A**

40.2200 **ENTER** 164.2818

C

190 **R/S**

85.45 **B** →

R/S →

40.2342 **ENTER** 164.2112

E →

35.10 **D** →

R/S →

Load "Fix From Two Lines of Position"

0 **A** →

R/S →

Outputs:

South Baker Range Light

Point Carlson Light
approximate true bearing of Point Carlson Light
approximate L
approximate λ

Parker Point Light
approximate L
approximate λ

40.2954

164.2628

40.1732


164.2920

40.3132

164.2727

L $40^{\circ}31'32''N$

$\lambda 164^{\circ}27'27''W$



FIX FROM TWO LINES OF POSITION

FIX FROM TWO LINES OF POSITION

C+S+T-L-A

D Z_DD Z_D

This program is intended to follow the almanac interpolator, any of the other celestial sight assistance programs, the angle or bearing fix programs, or a combination of them. This program uses the data stored by the LOP programs to compute the latitude and longitude of the intersection of two lines of position (actually circles). Either a running or a stationary fix may be obtained with this program.

Errors in h_s will show up as lateral movement of the lines of position. A trapezoidal figure results from perturbing both lines of position. The diagonals of this error trapezoid, the worst-case distance errors, are also computed by this program assuming a 1' sextant error.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	First use some combination of the LOP cards to get two LOP's (be sure to push [P/S] between the two LOP's)			
2	Load this program			
3	Key in course information from first LOP to second and compute fix			
	Course (true)	C, deg.	[ENTER]	
	Speed	S, knots	[ENTER]	
	Time	Δt, H.MS	[A]	L, D.MS
			[R/S]	λ, D.MS
	Note: For a stationary fix, simply key in 0 for Δt	0	[A]	L, D.MS
			[R/S]	λ, D.MS

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
	Note: If the positions used for the LOP's were the actual DR positions, the course information is not used—simply			
	press		f E	L, D.MS
			R S	λ , D.MS
4	To obtain worst-case distance errors and bearing of such errors ($\pm 180^\circ$) for each minute of error in h_s , press		C	ΔD_1 , n. mi.
			R S	Z_1 , deg.
4a	For errors due to errors in h_s , press		D	ΔD_2 , n. mi.
			R S	Z_2 , deg.

Example:

In the Tasman Sea on December 30, 1974 the navigator observes two stars for his 0940 fix. His DR is $L40^\circ 12' S$, $\lambda 159^\circ 57' E$, and the observations are made from 35 feet. What is the fix?

	Rigel Kentaurus	Procyon
GMT	$9^{\text{h}}40^{\text{m}}21^{\text{s}}$	$9^{\text{h}}40^{\text{m}}59^{\text{s}}$
h_s	$11^\circ 24'$	$11^\circ 21' 42''$

Keystrokes:

Load Star Data 5

E (Rigel Kentaurus)

Load Star Line of Position

40.12 **CHS** **ENTER** 159.57**CHS** **f** **A** 35 **f** **B** 1974**ENTER** 12 **ENTER** 30**Outputs:**

ignore output

11-03

A 9.4021 B → 178.0 *** Z_n
11.24 C → 10.59 H_c
R/S → -14.6 14.6 miles toward

Load Star Data 5

A (Procyon)

Load Star Line of Position

40.12 CHS ENTER↓ 159.57 CHS

f A 35 f B 1974 ENTER↓


12 ENTER↓ 30 A 9.4059

B → 73.4 *** Z_n
11.2142 C → 10.5643 H_c
→ -14.6 a

Load Fix from Two Lines of Position

0 A → -40.2551 L 40°25'51'' S
R/S → -160.2228 λ 160°22'28'' E

11-04



Example 2:

A navigator's DR on February 10, 1977 at 0700 is $35^{\circ}39'49''\text{N}$, $141^{\circ}22'21''\text{E}$. He shoots the Sun from a 65 foot height of eye and finds the Sun's altitude to be 12° . Determine an estimated position by crossing the Sun LOP with the 056° course line.

Keystrokes:**Outputs:**

Load Sun Line of Position

35.3949 **ENTER** 141.2221

CHS f A 65 **f B** 1977

ENTER 2 **ENTER** 10

A 7 **B** →

241.92 *** Z_n is printed
12.2526 H_c is displayed
21.4 away
set up for second
LOP

12 **D** →

P/S →

Load "Bearing Line of Position"

35.3949 **ENTER** 141.2221

CHS A 56 **R/S** →

ignore output


Load Fix From Two Lines of Position

0 **A** →

35.5150 L $35^{\circ}51'50''\text{N}$

R/S →

141.4423 λ $141^{\circ}44'23''\text{W}$



Example:

A ship is on course 248°, speed 10 knots, on April 14, 1977. Her dead reckoning position at 2250 GMT is L27°11'14"N, λ139°28'45"W. Her navigator shoots the Sun at 2250 from a 35' height of eye and gets a sextant height of 62°. At 0355 on the 15th he shoots Capella and gets 51°30'. Compute the 0355 running fix.

Keystrokes:**Outputs:**

Load Sun LOP

27.1114 **ENTER** 139.2845

f A 35 **f B** 1977 **ENTER** 4

ENTER 14 **A** 22.50 **B** →

235.4 *** Sun's azimuth

62 **D** →

62.0640 *** Sun's altitude

P/S →

-3.1 3.1 miles toward

store this LOP

Load Star Data 3

f B (Capella) →

ignore output

Load Star LOP

27.1114 **ENTER** 139.2845

f A 35 **f B** 1977 **ENTER**

4 **ENTER** 15 **A** 3.55 **B** →

310.5 *** Capella's azimuth

51.3 **C** →

50.4958 *** Capella's altitude

-33.5 33.5 miles toward

Load Two LOP Fix

248 **ENTER** 10 **ENTER** 5.05


A →

26.5823 fix latitude

R/S →

140.3053 fix longitude

This example could have been solved by first running the Dead Reckoning program to determine the 0355 DR, running the Sun LOP and Star LOP programs at their respective times, and then simply pressing **OE** on the Two LOP Fix program. In fact, this is how we made the sketch.



Example:

A small craft is adrift near $L23^{\circ}N$, $\lambda150^{\circ}W$. Her navigator observes the Sun at 2145 GMT on June 4, 1977 and gets an altitude of $86^{\circ}07'$. He observes the sun again at 2200 and gets an altitude of 89° . Use the SUN LOP and Position Fixing programs to determine the intersection of the equal-altitude circles.

Keystrokes:

Load Sun Line of Position

23 [ENTER] 150 [f] A 0 [f] B

1977 [ENTER] 6 [ENTER] 4 [A]

21.45 [B] →

86.07 [D] →

[P/S] →

23 [ENTER] 150 [f] A 0 [f] B

1977 [ENTER] 6 [ENTER] 4 [A]

22 [B] →

89 [D] →

Load "Fix From Two Lines of Position"

0 [A] →

[R/S] →

Outputs:

98.7 *** Z_n

86.5325 *** H_c

30.7 30.7 miles away


save the first LOP

217.8 *** Z_n

89.2154 *** H_c

6.1 6.1 miles away

Notice that the program has computed the point of intersection of the circles of equal altitude.





DISTANCE BY HORIZON ANGLE

This program computes the distance to an object of known height whose base is obscured by the horizon and whose top subtends a sextant altitude h_s with the horizon. The sextant altitude is corrected from height of eye. Additional features are the calculation of the distance to the horizon for a given height of eye and distance of visibility of an object of height H above sea level.

This program also calculates the distance between an observer and an object when (1) the vertical angle between its waterline and the horizon has been observed from a known height of eye or (2) the object's height is known, together with its subtended angle. An additional feature is the calculation of the height of an object if its subtended angle and distance from the observer are known.

Note: $h_s < 10'$ may make D unreliable due to atmospheric conditions when vertical sextant altitude between object and horizon is taken.

DISTANCE TO OR BEYOND HORIZON**DISTANCE SHORT OF HORIZON**

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
	To compute distances			
	BEYOND the horizon			
2	Key in Height of Eye	HE, ft.	A	
3	Key in Height of object sighted	H, ft.	B	
4	Key in horizon angle and compute distance	h_s , D.MS	C	D, n. mi.
5	Compute Distance to horizon	none	f A	D_{hor} , n. mi.
6	Compute Distance of visibility	none	f B	D_{vis} , n. mi.
	To compute distances SHORT of the horizon			
2	Key in Height of object sighted	H, ft.	B	
3	Key in horizon angle and compute distance	h_s , D.MS	D	D, ft.
			R/S	D, n. mi.
4	Key in Height of object and its measured sextant angle and compute distance	H, ft.	ENTER	
		h_s , D.MS	f E	D, ft.
			R/S	D, n. mi.
5	Key in Distance of object and its measured sextant angle and compute its height	D, n. mi.	ENTER	
		h_s , D.MS	E	H, ft.

Example 1:

If the height of eye of an observer is 9 feet above sea level, how far away is his horizon? (3.43 nautical miles)

Keystrokes:9 **A f A** → 3.43**Outputs:**

Example 2:

An observer "bobs" Farallon Light on the horizon and finds his height of eye to be 16 feet. The light is 358 feet above sea level. How far is the observer from the light? (Accuracy is affected by abnormal refraction)

Keystrokes:

16 **A** 358 **B f B** →

Outputs:

26.22 n. mi.

Example 3:

The top of a lighthouse, whose base is obscured by the horizon, is known to be 300 feet above sea level. It is found to have a sextant altitude of 26'9 above the horizon. The height of eye is 20 feet.

What is the distance to the lighthouse?

What is the distance to the horizon?

It has been determined that the luminous range of the light is "strong", now compute its visibility for the given height of eye.

Keystrokes:

20 **A** 300 **B .2654 C** →
f A →
f B →

Outputs:

6.28 n. mi.
5.12 n. mi.
24.93 n. mi.

The sextant altitude subtended by the base and the top of a 41 foot light tower is 54'.3. How far is the observer from the light tower?

Keystrokes:

41 **ENTER** .5418 **f E** →
R/S →

Outputs:

2595.50 ft.
0.43 n.m.

Example 4:

A vessel is anchored 2015 feet from an lighthouse. The sextant altitude subtended by the lighthouse is 1°15'.2. How high is the lighthouse?

Keystrokes:

2015 **ENTER** 1.1512 **E R/S** →

Outputs:

44.08 ft.

CLOSEST POINT OF APPROACH

RADAR PLOTTING
CLOSEST POINT OF APPROACH $t_2 + B_2 + R_2 = CPA: B$ (-His C) (+His S) t_{CPA} RIGHT TURN

Given two bearings and ranges on another vessel, this program computes the change of heading required to pass at a specified minimum distance. A closest point of approach smaller than the minimum distance is flashed in the display.

Two targets may be tracked simultaneously using this program. If you change course to avoid one target, be sure to pay particular attention to the other one to avoid it also.

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program			
2	Key in:			
	Course	C, D.MS	ENTER	
	Speed	S, knots	B	
3	Key in desired miss distance	MD, miles	C	
4	Select target number (repeat as necessary)	none	D	1 or 2
5	Key in first radar contact			
	Time	t_1 , H.MS	ENTER	
	Bearing	B_1 , deg.	ENTER	
	Range	R_1 , miles	A	
6	Key in next radar contact and compute CPA			
	Time	t_2 , H.MS	ENTER	
	Bearing	B_2 , deg.	ENTER	
	Range	R_2 , miles	A R	CPA* Bearing
7	(optional) Compute course of target		B	C, deg.
8	(optional) Compute speed of target		C	S, knots
9	(optional) Compute time of CPA		D	t_{CPA} , H.MS

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
10	Compute new heading to avoid target by turning left† at a specified time	t_3 , H.MS	F E	C, left turn
11	Compute new heading to avoid target by turning right† at a specified time	t_3 , H.MS	E	C, right turn
*	If CPA is less than MISS DIST, the display will blink.			
†	If you are not on a collision heading, both solutions may yield left or right turns. One will be to the left of the zero-miss-distance heading and the other will be to the right.			

Example 1:

We are on course 000° speed 24 knots. At 2252 a vessel is observed by radar to bear 026° distant 14.4 miles. At 2300 she bears 025°, distant 11.9 miles. What is the CPA? What is the time of the CPA? What evasive action can we take at 2308 to avoid the target by 1.5 miles?

Keystrokes:

0 **ENTER ↴** 24 **B** 1.5 **C** →
 22.52 **ENTER ↴** 26 **ENTER ↴** 14.4
A →
 23 **ENTER ↴** 25 **ENTER ↴** 11.9
A →
R/S →
D →
 23.08 **E** →
 23.08 **F E** →

Outputs:

set up	
first contact	
1.	(blinking: CPA within desired 1.5 mi. miss distance)
1.2	distance of CPA
301	bearing of CPA
23.3744	time of CPA
2	right turn
346	left turn

Example 2:

We are on course 030°, speed 15 knots. At 1530 a target bears 040°, distant 30 miles. At 1535 it is 29 miles away at 038°. What and when is the CPA? To what heading should we come at 1545 to close the target to 1 mile?

Keystrokes:

30 **ENTER** 15 **f B** 1 **f C** →
 15.30 **ENTER** 40 **ENTER** →
 30 **f A** →
 15.35 **ENTER** 38 **ENTER** 29
A →
D →
 15.45 **E** →

Outputs:

set up
 first contact
 CPA
 time of CPA
 heading to intercept

Example 3:

Our speed is 17 knots on an arbitrary course. At 1832 a target is located bearing 025° relative, distant 30 miles. A second target is 28 miles away, bearing 095° relative at 1834. By 1840 the first target bears 020° relative, distant 25 miles, and the second bears 090°, distant 27 miles. We wish to pass at least 5 miles clear of these two vessels. Is any change required in our heading?

Keystrokes:

0 **ENTER** 17 **f B** 5 **f C**
f D ... **f D** →
 18.32 **ENTER** 25 **ENTER** 30
f A →
f D →
 18.34 **ENTER** 95 **ENTER** 28
f A f D →
 18.40 **ENTER** 20 **ENTER** 25 **A** →
R/S →
D →
f D →
 18.40 **ENTER** 90 **ENTER** 27 **A** →
R/S →
D →

Outputs:

set up (use C = 0° for convenience)
 repeat until 1 appears
 0 or 1
 2. second target
 1. first target
 11.8 CPA
 318 bearing of CPA
 19.1149 time of CPA
 2 second target
 25.4 CPA₂
 70 bearing of CPA
 19.0126 time of CPA

BEATING TO WINDWARD

BEATING TO WINDWARD
 $S_r \cdot S \cdot W_t \cdot H$ PORT $C_r \cdot V + D - W_m$ STBD $C_c \cdot V + D - W_m$ $S_r \cdot Dr$ $C_m \cdot D$

In order to sail into the wind, a sailing vessel must tack. That is, she must sail with the wind at some angle to her bow in order to make progress in the desired direction. After sailing some distance on a given tack, it is possible to sail directly to the upwind mark on the opposite tack along what is called the "lay line." Unfortunately, in most sailing situations, the relationship among the vessel's motion, the current, and the wind is not simple to visualize.

This program provides a simple solution to the problem of determining the direction of the lay line. From measurements made aboard a properly instrumented sailboat, the program computes the course and speed made good on both tacks, the heading of the lay line, and the time at which the lay line will be reached.

When current is present, it is impossible to observe the true wind from a sailboat in motion. Therefore, the program computes a "modified true wind" from which the remainder of the desired quantities can be determined. The technique used was developed by Mr. Mortimer Rogoff and is fully documented in his book *Calculator Navigation* (W.W. Norton and Co., 1977).

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
1	Load program relative wind speed vessel speed relative wind angle angle of heel and see speed of modified wind tack angle	S_a , knots S , knots W_a , deg. i , deg.	ENTER ENTER ENTER A	
				MW, knots W_t , deg.
3	Key in course information compass course magnetic variation (CHS if West)	C_c , deg. Var., deg.	ENTER ENTER	

STEP	INSTRUCTIONS	INPUT DATA/UNITS	KEYS	OUTPUT DATA/UNITS
	magnetic deviation (CHS if West)	Dev., deg.		
	select whether port (B) or starboard (C) tack and see angle of modified wind		B or C	W _m , deg.
4	Key in current set of current drift of current and see for this tack speed-made-good course-made-good for the next tack true course (flashes until a new value for deviation is keyed in) compass course on next tack speed-made-good course-made-good	Set, deg. Drift, knots	ENTER* D	SMG, knots CMG, knots
	keyed in)	Dev., deg.	none	C _c , deg.
	course to mark	C _m , deg.	ENTER*	SMG, deg.
	distance to mark and see distance to mark along lay line time to mark along lay line	D, n. mi.	E	CMG, deg. D _m , n. mi. Δt _m , H.MS
	distance to lay line time to lay line			D _{LL} , n. mi. Δt _{LL} , H.MS
5	Key in			
	course to mark			
	distance to mark			
	and see			
	distance to mark along lay line			
	time to mark along lay line			
	distance to lay line			
	time to lay line			

Example:

An instrumented sailboat is sailing to an upwind mark bearing 030° true distant 5 miles. Use this program to complete the table below.

Time		0800	0830	0910	0955	0956:22
Rel. Wind Speed	Sa	15.1	17.1	14.78	14.78	14.78
Vessel Speed	S	5.2	6	5.1	5.1	5.1
Rel. Wind Angle	Wa	33.3	33.2	33.5	33.5	33.5
Angle of heel	i	30°	35°	25°	25°	25°
Speed of Mod. Wind	MW	11.71	13.4	11.3	11.3	11.3
Tack Angle	Wt	47.4	47.4	47.9	47.9	47.1
Leeway* (not an input)		3	2	3	3	3
Compass Course ± Leeway	Cc	77	56	321	57	321.2
Magnetic Variation	Var	11W	11W	11W	11W	11W
Deviation	Dev	0	0	0	0	0
Which Tack		Port	Port	Stbd	Port	Stbd
Angle of Mod-Wind	Wm	18.6	357.6	357.9	358.1	358.1
Set of Current	Set	160	175	180	250	250
Drift of Current	Drift	2	1.5	0.5	0.3	0.3
SMG this Tack		5.14	5.17	4.79	4.83	5.26
CMG this Tack		87.5	57.9	305.4	44.6	307.4
True C Next Tack	Ct	331.2	310.2	45.8	310.2	46
New Deviation		0	0	0	0	0
Compass Course Next Tack	Cc	342.2	321.2	56.8	321.2	57
New Leeway* (not an input)		2	2	3	3	3
SMG next Tack		3.24	5.05	4.77	5.26	4.83
CMG next Tack		325.7	298.1	50.2	307.3	44.6
Course to Mark	Cm	30	357	307.2	325	307.4
Distance to Mark	D	5	4.22	3.94	.36	.36
Distance to Mark along Lay Line		4.96	4.24	.13	.36	~0
Time to Mark along Lay Line		1:31:56	:50:27	:01:36	:04:04	~0
Distance to L.L.		5.3	4.18	3.97	.11	.36
Time to L.L.		:58:26	:48:19	:49:42	:01:22	:04:07
Time from Start		.30	.40	.45	.0122	.0407
Distance from Mark		4.22	3.94	.36	.36	0
Bearing of Mark		357.0	307.2	325.1	307.4	0

* Note that the values to use for leeway must be estimated by the skipper. The compass course computed by the program must be corrected to account for the estimated leeway.

Keystrokes are given only for the first column of the table. Notice how some outputs are used as inputs for the next column's problem.

Keystrokes:**Outputs:**15.10 **ENTER** ↴5.20 **ENTER** ↴33.30 **ENTER** ↴30.00 **A** →

11.71 ***

47.4 ***

77 **ENTER** ↴11 **CHS** **ENTER** ↴0 **B** →

18.6 ***

160 **ENTER** ↴ 2 **D** →

5.44 ***

87.5 ***

0 →

331.2 *** (blinking)

342.2 ***

3.24 ***

325.7 ***

30 **ENTER** ↴ 5 **E** →

4.96 ***

1.3156 ***




5.30 ***

0.5826 ***

.30 **f** **E** →

4.22 ***

357.0 ***



APPENDIX 1

The contents of the six star cards are listed here for the convenience of those who prefer to store a star's SHA and declination by hand rather than letting a program do it.

1969 POSITION

Star Number	Star Name	Declination (STO D)	Sidereal Hour Angle (STO E)
0	Polaris	89.1214	329.3708
1	Alpheratz	28.9194	358.3050
2	Ankaa	-42.4744	353.8113
3	Schedar	56.3678	350.3163
4	Diphda	-18.1564	349.4917
5	Achernar	-57.3959	335.8596
6	Hamal	23.3167	328.6450
7	Acamar	-40.4281	315.7288
8	Menkar	3.9692	314.8358
9	Mirfak	49.7522	309.4750
10	Aldebaran	16.4483	291.4650
11	Rigel	-8.2361	281.7383
12	Capella	45.9683	281.4008
13	Bellatrix	6.3231	279.1333
14	Elnath	28.5828	278.9175
15	Ainilam	-1.2203	276.3400
16	Betelgeuse	7.4028	271.6267
17	Canopus	-52.6783	264.1854
18	Sirius	2863.3278	1339.0542
19	Adhara	-28.9289	255.6483
20	Procyon	1805.3056	1325.5800
21	Pollux	28.1025	1324.1446
22	Avior	-59.4094	234.5300
23	Suhail	-43.3069	223.2863
24	Miaplacidus	-69.5894	221.7829
25	Alphard	-8.5233	218.4842
26	Regulus	12.1194	208.3142
27	Dubhe	61.9186	194.5429
28	Denebola	14.7453	1263.1300
29	Gienah	-17.3700	176.4479
30	Acru	-62.9275	173.7850
31	Gacrux	-56.9400	172.6413
32	Alioth	56.1278	166.8325
33	Spica	-11.0000	159.1108
34	Alkaid	49.4675	153.4200
35	Hadar	-60.2244	149.5950
36	Menkent	683.7817	1228.7875
37	Arcturus	3619.3431	2666.4383
38	Rigil Kentaurus	-1500.7086	13460.6300
39	Zubeneigenubi	-15.9142	137.7100
40	Kochab	74.2822	137.3058
41	Alphecca	26.8181	126.6567
42	Antares	-26.3647	113.1242
43	Atria	-68.9733	108.6588
44	Sabik	-15.6861	102.8508
45	Shaula	-37.0831	97.1246
46	Rasalhague	12.5811	96.6267
47	Eltanin	51.4919	91.0287
48	Kaus Australis	-34.4011	84.4717
49	Vega	38.7539	81.0279
50	Nunki	-26.3969	76.6642
51	Altair	-711.2147	-1017.3175
52	Peacock	-56.8361	54.1988
53	Deneb	45.1689	49.9067
54	Enif	9.7322	34.3346
55	Al Na'ir	-47.1119	28.4283
56	Fomalaut	-29.7869	16.0150
57	Markab	15.0381	14.1967

APPENDIX 2

OTHER PROGRAMS

Although it contains solutions to the most-often asked questions in navigation, this pac cannot include a program for every conceivable navigation problem. A partial list of navigation programs from the Users' Library is included here. If you are not able to find the solution you need on the pac, perhaps you can find it here.

Program Title	Program Number
Voyage Planning	00443D
Great Circle	00444D
Rhumb Line Sailing	00445D
Great Circle Sailing (incl. Composite Sailing)	00446D
Mercator Sailing	00447D
Mercator Traverse Sailing	00448D
RPM Speed, Ship Fuel Cons.	00449D
Dist. off by 2 Bearings and Dist. Run	00450D
Sun Azimuth for Compass Adjustment	00451D
Stars and Planets	00452D
Planets Sight Reduction	00453D
Moon Sight Reduction	00454D
Sun LOP Sight Reduction	00455D
Time of Meridian Transit of Sun and Altitude Meridian	00456D
Time of Sunrise and Sunset	00457D
Radar Plotting-2 Targets	00458D
Merchant Ship Stability	00459D
Oil Conversion	00460D
Volumes & Location of Centroid of Ships Tanks	00461D
Great Circle & Rhumb Line Sailing	00468D
Mercator Sailing-Course & Distance	00510D
Mercator Sailing-Destination Coordinates	00511D
Great Circle Navigation	00521D
Sight Reduction & Estimated Position	00715D
Great Circle-L & λ Position	00726D

APPENDIX 3

EQUATIONS AND TECHNIQUES

The programs in this pac are based on the following equations. The actual implementation of the equations may not always be straightforward, but this is where we started.

COURSE PLANNING PROGRAM

Estimated Time of Arrival

$$D = S (t_a - t_d)$$

Great Circle and Rhumb Line Navigation

$$D_{\text{great circle}} = 60 \cos^{-1} [\sin L_1 \sin L_2 + \cos L_1 \cos L_2 \cos (\lambda_2 - \lambda_1)]$$

$$H_{\text{great circle}} = \cos^{-1} \left[\frac{\sin L_2 - \sin L_1 \cos (D/60)}{\sin (D/60) \cos L_1} \right]$$

$$\tan C_{\text{rhumb}} = \frac{\pi(\lambda_1 - \lambda_2)}{180 \left(\ln \tan \left(45 + \frac{L_2}{2} \right) - \ln \tan \left(45 + \frac{L_1}{2} \right) \right)}$$

$$D_{\text{rhumb}} = \begin{cases} 60(\lambda_2 - \lambda_1) \cos L; \cos C = 0 \\ 60 \frac{L_2 - L_1}{\cos C}; \text{ otherwise} \end{cases}$$

$$L_{\text{vertex}} = \cos^{-1} (\sin C \cos L_1)$$

Dead Reckoning

$$L_i = L_1 + \frac{\Delta t S \cos C}{60}$$

$$\lambda_i = \begin{cases} \lambda_1 + \frac{180 \tan C \left(\ln \tan \left(45 + \frac{L_1}{2} \right) - \ln \tan \left(45 + \frac{L_i}{2} \right) \right)}{\pi} ; \\ \quad C = 90^\circ \text{ or } 270^\circ \\ \lambda_1 - \frac{\Delta t S \sin C}{60 \cos L_1} ; \quad 90^\circ \text{ or } 270^\circ \end{cases}$$

ALMANAC PROGRAMS

Star Finder Data

Each register of the Star Finder Data card contains declination, SHA, and a code for each of two stars. The numbers are so encoded that the program can reconstitute declination, SHA and star #.

The encoding formula for a star in register r whose star number is:

$$\# = 2r + \Delta x$$

is

$$\text{code} = \frac{\frac{r}{45} + \frac{\Delta x}{18} + \frac{\text{SHA} - 347}{540} + \cos^{-1}(\sin \text{dec})}{180}$$

The data from the star chart in this book are encoded by the above formula and stored as shown here:

0.0000000	0	}	Primary Registers
0.3393721	1		
18941.60088	2		
81717.37302	3		
72264.47956	4		
22276.41177	5		
54476.24512	6		
46256.79618	7		
59588.47426	8		
34622.74119	9		
89094.55238	0	}	Secondary Registers
43536.15781	1		
41856.59664	2		
85192.19148	3		
56337.23035	4		
39743.84219	5		
9228.353662	6		
64772.70977	7		
43175.28825	8		
64907.45486	9		
82118.25485	A	}	Primary Registers
44888.67166	B		
0.0000000	C		
0.0000000	D		
0.0000000	E		
0.0000000	I		

Sextant Corrections for Refraction and Height of Eye

$$H_0 = h_s + 0'97 \left\{ \tan [h_s - \tan^{-1} 12 (h_s + 3)] - \sqrt{HE} \right\}$$

Sight Reduction

$$Z_n = 180 + \tan^{-1} \frac{\sin t}{\cos t \sin L - \cos L \tan d}$$

$$H_c = \sin^{-1} [\sin d \sin L + \cos L \cos t \cos d]$$

$$a = H_c - H_0$$

Sun Almanac

The Sun Almanac equations are based on formulas found in Smart, *A Textbook on Spherical Trigonometry*.

From the date (Y, M, D) the day of year DOY is computed, then the longitude of the Moon's ascending node Ω is computed:

$$\Omega = 20 \left(Y - 1969.1 + \frac{DOY}{365} \right)$$

Then a quantity \odot related to the Greenwich Hour Angle of Aries is computed:

$$\odot = DOY + 101.18 + \text{Frac} \left\{ \frac{2000 - Y}{4} \right\} + \frac{Y \cdot y - 1969}{128} + .004 \sin \Omega$$

GHA Υ maybe computed from \odot and the time of day t by:

$$\text{GHA } \Upsilon = .9856 \left(\odot + \frac{t}{24} \right) + 15 t$$

The Earth's mean anomaly M and longitude of perigee $\bar{\omega}$ are computed together:

$$M + \bar{\omega} = .9856 \left(\odot + \frac{t}{24} \right)$$

A3-04

Then an approximation to Kepler's equation is used to compute the true anomaly ν :

$$\text{where } \theta = \nu + \bar{\omega} = M + \bar{\omega} + 1.92 \sin M + .02 \sin 2M$$

The longitude of perigee $\bar{\omega}$ is given by:

$$\bar{\omega} = .01717 (Y - 1969) - 77.56$$

The obliquity of the ecliptic is:

$$\epsilon = 23.4433 - 1.3 \times 10^{-4} (Y - 1969) + .0028 \cos \Omega$$

Using the above values we now compute the Greenwich Hour Angle GHA \odot and declination δ of the Sun.

$$\begin{aligned}\text{GHA } \odot &= M + \bar{\omega} - \tan^{-1}(\tan \theta \cos \epsilon) + 180 + 15 t \\ \delta &= \sin^{-1}(\sin \theta \sin \epsilon)\end{aligned}$$

Star Almanac

For stars, Ω and \odot from the above equations are used in the following formulas to compute star positions to approximately 0.1 accuracy.

$$\begin{aligned}\text{SHA} \star = \alpha &= \alpha_0 + (Y - 1969)(20'' \sin \alpha_0 \tan \delta_0 - 46'') \quad \text{precession} \\ &\quad + 8'' \cos (\Omega - \alpha_0) \tan \delta_0 - 15.''8 \sin \Omega \quad \text{nutation} \\ &\quad - 21'' \frac{\cos (\alpha_0 - \odot)}{\cos \delta_0} \quad \text{aberration}\end{aligned}$$

$$\begin{aligned}\text{DEC} \star = \delta &= \delta_0 + (Y - 1969) 20'' \cos \alpha_0 \quad \text{precession} \\ &\quad + 8'' \sin (\Omega - \alpha_0) \quad \text{nutation} \\ &\quad + 21'' \sin \delta_0 \sin (\alpha_0 - \odot) + 8'' \odot \cos \delta_0 \quad \text{aberration}\end{aligned}$$


where (α_0, δ_0) is the star's 1969 mean place (see the table in appendix 1).

The star data also contains an encoded correction to both α and δ to account for proper motion for the fastest-moving star.

LINE OF POSITION PROGRAMS

Two-Angle Line of Position


An observer at ④ ("ship") measures the angle between ① and ②.



Assume equal sides a :

$$a = \sin^{-1} \frac{\sin d/2}{\sin \Delta Z/2}$$

Then bisect ΔZ to find r (radius of circle)



$$r = \tan^{-1} \frac{1 - \cos a}{\sin a \cos \Delta Z/2}$$

$$H = 90^\circ - r = \tan^{-1} \frac{\sin a \cos \Delta Z/2}{1 - \cos a}$$

$$A = \cos^{-1} \left(\frac{1 - \cos d}{\sin d} \tan H \right)$$

A3-06

Now locate center ⑩ by going distance r from ② at bearing Z :

$$Z = \begin{cases} Z_{21} + A; \sin(Z_{21} - Z_2) \cos \Delta Z > 0 \\ Z_{21} - A; \sin(Z_{21} - Z_2) \cos \Delta Z < 0 \end{cases}$$

⑩ is at (α_m, δ_m)

$$\delta_m = \sin^{-1} (\sin H \sin L_2 + \cos H \cos L_2 \cos (Z_{21} \pm A))$$

$$\alpha_m = \lambda_2 - \tan^{-1} \left(\frac{\sin (Z_{21} \pm A) \cos H}{\cos L_2 \sin H - \sin L_2 \cos H \cos (Z_{21} \pm A)} \right)$$

These data now are the same as if a star having GHA α_m and declination δ_m had been observed with an altitude intercept of r .

Given the azimuth Z_2 between ⑧ and ② we can get an approximate position for ⑧:

$$L_s = L_2 + \frac{(L_1 - L_2) \tan Z_1 + (\lambda_1 - \lambda_2) \cos L_2}{\tan Z_1 - \tan Z_2}$$

$$\lambda_s = \lambda_2 - \frac{\tan Z_2}{\cos L_2} \frac{(L_1 - L_2) \tan Z_1 + (\lambda_1 - \lambda_2) \cos L_2}{\tan Z_1 - \tan Z_2}$$

These data, combined with a similar set of numbers from another observation, can be used by the Two-Lop Fix card.

Bearing Line of Position


This program locates a false star at a distance of 90° from L_1 , λ_1 at a bearing 90° from Z_1 :

$$\delta_1 = -\sin^{-1} (\sin Z_1 \cos L_1)$$

$$\alpha_1 = \lambda_1 - \tan^{-1} \left(\frac{\cos Z_1}{\sin Z_1 \sin L_1} \right)$$

Fix From Two Lines of Position

This program is an implementation of Dozier's formulas on page 549 of Bowditch.



$$\cos D = \sin d_1 \sin d_2 + \cos d_1 \cos d_2 \cos S$$

$$\tan(X_1 \pm A_1) = \frac{\sin S \cos d_2}{\cos d_1 \sin d_2 - \sin d_1 \cos d_2 \cos S}$$

$$\cos A_1 = \frac{\sin H_2 - \cos D \sin H_1}{\cos H_1 \sin D}$$

$$X_1 = (X_1 \pm A_1) \mp A_1$$

$$\sin L = \sin d_1 \sin H_1 + \cos d_1 \cos H_1 \cos X_1$$

$$\tan t_1 = \frac{\sin X_1 \cos H_1}{\cos d_1 \sin H_1 - \sin d_1 \cos H_1 \cos X_1}$$

$$\lambda = \text{GHA}_1 \pm t_1$$

CLOSEST POINT OF APPROACH

The bearing of CPA is given in terms of ranges r and bearings B as follows:

$$B_{CPA} = \tan^{-1} \frac{r_2 \cos B_2 - r_1 \cos B_1}{r_1 \sin B_1 - r_2 \sin B_2}$$

The range is

$$r_{CPA} = r_2 \cos (B_{CPA} - B_2)$$

The relative motion $r_m = r_m < h_r$ is

$$r_m = \frac{r_2 - r_1}{t_2 - t_1}$$

The heading to come to at t_3 in order to intercept the target is

$$h_r + \theta = B_3 + 180$$

Let

$e_m = e_m < h$ = speed and heading of target

$e_r = e_r < C$ = speed and heading of our ship

Then the change to $h_r + \theta$ to pass at distance D is

$$\phi = \sin^{-1} \frac{D}{r_3}$$

Now let

$$\beta = \begin{cases} \theta \text{ to intercept} \\ \theta + \phi \text{ miss to the right of the intercept heading} \\ \theta - \phi \text{ miss to the left of the intercept heading} \end{cases}$$

Then the new course α at time t_3 is

$$\alpha = h_r + 180 + \beta - \sin^{-1} \left(\frac{e_m}{e_r} \sin(h - h_r - \beta) \right)$$

DISTANCE BY HORIZON ANGLE

Distance of an object between the observer and the horizon is computed using one of these formulas

$$D = \frac{HE}{\tan(hs + .97\sqrt{HE})}$$

$$D = \frac{H}{\tan(hs)}$$

where:

D = distance to object, feet

HP = height of eye, feet

H = height of object, feet

hs = sextant altitude between object's waterline and horizon

The distance to or beyond the horizon are computed as follows:

$$D = \sqrt{\left(\frac{\tan h_a}{2.46 \times 10^{-4}}\right)^2 + \frac{H - HE}{0.74736} - \frac{\tan h_a}{2.46 \times 10^{-4}}}$$

$$D_{hor} = 1.144 \sqrt{HE}$$

$$D_{vis} = 1.114 (\sqrt{HE} + \sqrt{H})$$

where:

D = distance to object, nautical miles

D_{hor} = distance to horizon, nautical miles

D_{vis} = distance of visibility, nautical miles

H = height of object beyond horizon, feet

HE = height of eye, feet

$ha = hs + IC - 0.97\sqrt{HE}$

hs = sextant altitude

BIBLIOGRAPHY

- Bowditch, *American Practical Navigator*, H.O. Pub. No. 9, U.S. Naval Oceanographic Office, Washington, D.C., 1966.
- Buckley, William F., Jr., *Airborne*, Macmillan Publishing Co., Inc., New York, 1976.
- Dunlap, G.D. and Shufeldt, H.H., *Dutton's Navigation and Piloting*, Twelfth Edition, United States Naval Institute, Annapolis, 1969.
- Hobbs, Richard R., *Marine Navigation 1, Piloting*, United States Naval Institute, Annapolis, 1974.
- Hobbs, Richard R., *Marine Navigation 2, Celestial and Electronic*, United States Naval Institute, Annapolis, 1974.
- Melluish, R.K., *An Introduction to the Mathematics of Map Projections*, Cambridge University Press, London, 1931.
- Mueller, Ivan I., *Spherical and Practical Astronomy as Applied to Geodesy*, Fredric Ungar Publishing Co., Inc., 1969.
- Norton, A.P. and Inglis, J.G., *Norton's Star Atlas*, Fifteenth Edition, Gall and Inglis, Edinburgh, 1964.
- Shufeldt, H.H., *Slide Rule for the Mariner*, United States Naval Institute, Annapolis, 1972.
- Smart, W.M., *Text-Book on Spherical Astronomy*, Fifth Edition, Cambridge University Press, Cambridge, 1971.

PROGRAM LISTINGS

The following listings are included for your reference. A table of keycodes and keystrokes corresponding to the symbols used in the listings can be found in Appendix E of your Owner's Handbook.

Program	Page
1. Estimated Time of Arrival	L01-01
2. Great Circle and Rhumb Line Navigation	L02-01
3. Dead Reckoning	L03-01
4. Velocity Triangle and Course to Steer	L04-01
5. Star Sight Planner	L05-01
6. Almanac Interpolator	L06-01
7. Sun Line of Position	L07-01
8. Star Line of Position	L08-01
Star Data 1	L08-03
Star Data 2	L08-05
Star Data 3	L08-07
Star Data 4	L08-09
Star Data 5	L08-11
Star Data 6	L08-13
9. Bearing Line of Position	L09-01
10. Two-Angle Line of Position	L10-01
11. Fix From Two Lines of Position	L11-01
12. Radar Plotting Closest Point of Approach	L12-01
13. Distance by Horizon Angle	L13-01
14. Beating to Windward	L14-01

ESTIMATED TIME OF ARRIVAL

001	#LBLB		857	#LBLA				
002	DSP1		058	STOP				
003	GSE1	Store distance	059	1				
004	F3?	IF new data THEN STOP	060	5	Store approximate λ_A			
005	RTN		061	x				
006	RCL7	ELSE	062	ST03				
007	RCL5	Compute Distance	063	RTN				
008	-		064	*LBLK				
009	2		065	HMS+				
010	4		066	DSP0				
011	x		067	1				
012	RCL8		068	5				
013	RCL6		069	=				
014	-		070	RND				
015	+		071	RTN				
016	RCL2		072	*LBLD				
017	x		073	DSP4				
018	GSE1		074	INT				
019	RTN		075	ST05				
020	*LBL1		076	LSTX				
021	6		077	FRC				
022	0		078	EEA				
023	=		079	2				
024	ST04	Store D/60	080	y				
025	LSTX		081	HMS+				
026	x		082	RCL1				
027	RTN		083	GSE6				
028	*LBLC		084	ST0A				
029	DSP2		085	DSP4				
030	ST02		086	+				
031	F3?	Store speed	087	ST06				
032	RTN	IF new data THEN STOP	088	F3?				
033	RCL4	ELSE	089	RTN				
034	6	Compute Speed	090	RCL7				
035	0		091	RCL8				
036	x		092	RCL4				
037	RCL7		093	6				
038	RCL5		094	6				
039	-		095	x				
040	2		096	RCL2				
041	4		097	=				
042	x		098	CHS				
043	RCL8		099	SSBE				
044	RCL6		100	ST06				
045	-		101	RCLA				
046	+		102	-				
047	=		103	X<0?				
048	ST02		104	GSE7				
049	RTN		105	RTN				
050	*LBLA		106	ST05				
051	ST0A		107	GSE9				
052	1	Store ZD _D	108	RTN				
053	5		109	*LBL7				
054	x	Store approximate λ_D	110	2				
055	ST01		111	4				
056	RTN		112	+				
REGISTERS								
0 Used	1 λ_D	2 S	3 λ_A	4 D/60	5 D _D	6 GMT _D	7 D _A	8 GMT _A
S0	S1	S2	S3	S4	S5	S6	S7	S8
A ZD _D	B ZD _A	C	D	E	F	G	H	I

113	X#Y					165	RTN		
114	1					170	#LBL0		
115	-					171	X#Y		
116	X#Y					172	1		
117	PTN					173	-		
118	#LBL0	Arrival				174	X#Y		
119	DSP4					175	1		
120	INT					176	+		
121	STO?	Store day				177	2		
122	LSTX					178	4		
123	FRC					179	x		
124	EEX					180	RTN		
125	2					181	#LBL9		
126	x					182	X#Y		
127	HMS+					183	+HMS		
128	RCL?					184	EEX		
129	GSB4					185	2		
130	STOB					186	÷		
131	DSF4					187	+		
132	+					188	X#0?		
133	STOB	Store time				189	RTN		
134	F3?	IF new data				190	INT		
135	RTN	THEN STOP				191	LSTX		
136	RCL5	ELSE				192	FRC		
137	RCL6	Compute Day and Time				193	1		
138	RCL4	of Arrival				194	+		
139	6					195	-		
140	8					196	RTN		
141	x					197	R/S		
142	RCL2								
143	÷								
144	GSB8								
145	STOB								
146	RCL8								
147	-								
148	X#0?								
149	GSB7								
150	X#Y								
151	ST07								
152	GSB9								
153	RTN								
154	#LBL8	Subroutine to add time to							
155	+	days							
156	2								
157	4								
158	÷								
159	STOB								
160	INT								
161	+								
162	RCL8								
163	FRC								
164	X#0?								
165	GT08								
166	2								
167	4								
168	x								

LABELS

A ZDA B DIST C SPEED D Departure E Arrival 0

FLAGS

SET STATUS

A	ZDA	B	DIST	C	SPEED	D	Departure	E	Arrival	0	FLAGS	TRIG	DISP
a	ZD _D	b	$\lambda + ZD$	c	d	e	f	g	h	i	0	ON	OFF
0		1		2	3	4	5	6	7	8	1	□	□
5	6	7		8	9	10	11	12	13	14	2	□	□
											3	□	□

0 ON OFF 1 DEG □ SCI □ 2 RAD □ ENG □ 3 n 4

GREAT CIRCLE AND RHUMB LINE NAVIGATION

113	F0?	IF flag 0		169	ABS							
114	PRTX	THEN PRINT		170	DSF0							
115	F0?			171	GSB5							
116	RTN	ELSE		172	RCLC							
117	R/S	DISPLAY		173	RCL9							
118	RTN			174	COS							
119	*LBL5	Subroutine to increment		175	X							
120	RCL6	longitude and account for		176	ENT+							
121	+	dateline		177	RCLS							
122	1			178	RCLB							
123	+R			179	-							
124	+P			180	RCLD							
125	R4			181	COS							
126	RTN			182	X#?							
127	*LBL4	Subroutine to put 360 in		183	÷							
128	3	x-register		184	ENT1							
129	6			185	X#?							
130	θ			186	Rt							
131	RTN			187	ABS							
132	*LBL6	-----		188	*LBL6							
133	F0?	Subroutine to compute		189	6							
134	SFC	course and distance to next		190	θ							
135	RCLA	point		191	x							
136	RCL8			192	GTO5							
137	-			193	*LBL4							
138	STO C			194	2							
139	2			195	÷							
140	÷			196	4							
141	SIN			197	5							
142	SIN ⁻¹			198	+							
143	9			199	TAN							
144	θ			200	LW							
145	÷			201	RTN							
146	P1			202	*LBL7							
147	x			203	RCLA							
148	RCL9			204	-							
149	GSB4			205	SIN							
150	RCLB			206	RCL2							
151	GSB4			207	TAN							
152	-			208	x							
153	+P			209	RCL8							
154	R4			210	RCL3							
155	STO D			211	-							
156	RCLC			212	SIN							
157	SIN			213	RCLB							
158	SIN ⁻¹			214	TAN							
159	X#?			215	x							
160	GTO8			216	-							
161	RCLD			217	RCL3							
162	GTO1			218	RCLA							
163	*LBL8			219	-							
164	GSB4			220	SIN							
165	RCLD			221	÷							
166	ABS			222	TAN ⁻¹							
167	-			223	STO9							
168	*LBL1			224	RTN							
LABELS						FLAGS	SET STATUS					
A	$L_2 \uparrow \lambda_2$	B	$\rightarrow D, H_1$	C	$\Delta\lambda$	D	\rightarrow LIST	E	O	FLAGS	TRIG	DISP
a	$L_1 \uparrow \lambda_1$	b		c		d		e	f	ON OFF	DEG SCI	FIX RAD
0	1	2		3		4		5	6	0 <input checked="" type="checkbox"/> <input type="checkbox"/>	GRAD RAD	1 <input type="checkbox"/> <input checked="" type="checkbox"/>
5	6	7		8		9		3	2 <input type="checkbox"/> <input checked="" type="checkbox"/>	2 <input type="checkbox"/> <input checked="" type="checkbox"/>	3 <input type="checkbox"/> <input checked="" type="checkbox"/>	
										n <input checked="" type="checkbox"/>	4	

DEAD RECKONING

001	#LBL6											
002	+											
003	ST08	Store correction										
004	RTN											
005	#LBLA											
006	HMS+											
007	STO1	Store λ										
008	R↓											
009	HMS+											
010	STOP	Store L										
011	RTN											
012	#LBLB											
013	STO2	Store CC										
014	RCL8											
015	+	Display TC										
016	RTN											
017	#LBLC											
018	STO3	Store speed										
019	RTN											
020	#LBLD											
021	SF1	Set list flag										
022	HMS+											
023	STO4	Store Δt										
024	RCL5											
025	+											
026	STO6											
027	GT08											
028	#LBLD											
029	HMS+											
030	STO5	Store t ₀										
031	RTN											
032	#LBLE											
033	CF1	Clear list flag										
034	HMS+											
035	STO6											
036	#LBL8	Store t _i										
037	RCL2	Rhumb Line Equations										
038	RCL8											
039	+											
040	STO9											
041	COS											
042	X=0?											
043	GT08											
044	RCL3											
045	x											
046	RCL6											
047	RCL5											
048	-											
049	x											
050	6											
051	8											
052	÷											
053	RCL8											
054	+											
055	STO7											
056	GSB9											
REGISTERS												
0	L _i	1 λ _i	2 CC	3 S	4 Δt	5 t _{i-1}	6 t _i	7 L _i	8 Var + Dev	9 TC		
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9			
A	B	C	D	E				I				

113	RCL1						
114	+HMS	λ_i					
115	CSB5						
116	HMS \downarrow						
117	STO1						
118	RCL2	CC					
119	DSP1						
120	CSB5						
121	STO2						
122	RCL3						
123	CSB5	S					
124	STO3						
125	RCL4						
126	RCL4						
127	+						
128	STO6						
129	F1?						
130	GT08	$t_4 \leftarrow t_1 + \Delta t$					
131	CLX						
132	RTN						
133	F1?						
134	GT08						
135	RTN						
136	*LBL9	Subroutine to compute					
137	2						
138	÷						
139	4						
140	5	In tan $\left(\frac{L}{2}\right) + 45$					
141	+						
142	TAN						
143	LH						
144	RTN						
145	*LBL5	Print routine					
146	F0?						
147	PRTX						
148	PSE						
149	RTN						
150	*LBL3	Subroutine to ensure that					
151	RCL1						
152	1						
153	→R						
154	→P						
155	X _Y	-180 < λ ≤ 180					
156	STO1						
157	RTN						
158	*LBL6	Print toggle					
159	F0?						
160	GT02						
161	SF0						
162	1						
163	RTN						
164	*LBL2						
165	CFS						
166	6						
167	RTN						

A	LABELS				FLAGS		SET STATUS		
	L → λ	CC	C SPEED	D to	E T → L, λ	0 PRINT	FLAGS	TRIG	DISP
b	Var → Dev	c PRINT?	d	e	ΔT → LIST	f LIST	ON OFF	DEG	FIX
0	Used	Used	Used	λ ≤ 180°	4	2	1	GRAD	SCI
5	PRINT	6	7	8	Used	3	2	RAD	ENG
							3	n	—

VELOCITY TRIANGLE AND COURSE TO STEER

001	#LBL _a									
002	ST00									
003	R _t									
004	ST01									
005	CLX									
006	RTN									
007	#LBLA									
008	F3?									
009	GT01									
010	RCLC		Compute Speed, C _t , C _c							
011	RCLB									
012	RCL4									
013	RCLI									
014	CMS									
015	GSB8									
016	ST08									
017	X _t Y									
018	GSB9									
019	ST09		Store C _t							
020	RCL0									
021	-									
022	RCL1									
023	-									
024	GSB9									
025	ST02		Store C _c							
026	GT04									
027	#LBL1									
028	ST08									
029	X _t Y									
030	ST02									
031	RCL8									
032	+									
033	RCL1									
034	+									
035	GSB9									
036	ST09									
037	RTN									
038	#LBL8									
039	F3?									
040	GT02									
041	RCLC									
042	RCLB									
043	RCLA									
044	RCL8									
045	CMS									
046	GSB8									
047	ST01									
048	X _t Y									
049	GSB9									
050	ST04									
051	GT04									
052	#LBL2									
053	ST01		Store Drift, Set							
054	X _t Y									
055	ST04									
056	RTN									

REGISTERS

0 Dev	1 Var	2 C _c	3 L ₁	4 Set	5 λ ₁	6 L ₂	7 λ ₂	8 Speed	9
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9
A C _t	B SMG	C CMG	D DIST	E	I	Drift			

113	ST03					169	+				
114	RTN					170	+HWS				
115	#LBLD					171	R/S				
116	HWS*					172	RCLB				
117	ST07					173	RTB				
118	XZY										
119	HWS*										
120	ST06										
121	RTN										
122	#BLB										
123	RCL3				Compute distance and CMG						
124	RCL6										
125	+										
126	2										
127	÷										
128	COS										
129	RCL5										
130	RCL7										
131	-										
132	X										
133	RCL6										
134	RCL3										
135	-										
136	→P										
137	6										
138	6										
139	X										
140	ST00										
141	XZY										
142	GSB9										
143	STOC										
144	GT04										
145	#LBLB										
146	ST08				Store speed						
147	RCLC				Compute C _c , Δt, and SMG						
148	RCL4										
149	RCLC										
150	-										
151	SIN										
152	RCLI										
153	X										
154	RCL8										
155	÷										
156	SIN-										
157	-										
158	GSB9										
159	ST04										
160	CF3										
161	SF2										
162	GSB6										
163	CF3										
164	SF2										
165	GSB4										
166	R/S										
167	RCLD										
168	RCLB										

LABELS						FLAGS		SET STATUS		
A → C _c , Speed	B ↔ Set, Drift	C ↔ CMG, SMG	D L ₂ ↑ λ ₂	E S → LIST	F 0		FLAGS	TRIG	DISP	
#Var ↑ Dev	b	c	d L ₁ ↑ λ ₁	e →DIST, CMC	f 1		0 ON OFF	DEG <input checked="" type="checkbox"/>	FIX <input checked="" type="checkbox"/>	
0	1	2	3	4	2		1 OFF	GRAD <input type="checkbox"/>	SCI <input type="checkbox"/>	
5	6	7	8	9	3		2 OFF	RAD <input type="checkbox"/>	ENG <input type="checkbox"/>	
							3 OFF	n 2		

STAR SIGHT PLANNER

REGISTERS	
0 L 1+0 *1 2+3 *4 3+6 *6 4+7 *8 5+9 *10 6+11 *12 7+16 *17 8+18 *20 9+21 *22 0.0000000000 0.2309372100 18941.800088 81717.37302 72284.47856 54476.41177 46266.70618 50968.47426 34622.74119	
S0+24 *25 ST1+26 S2+28 *29 S3+30 *32 S4+33 *34 S5+37 *39 S6+40 *41 S7+42 *46 S8+44 *49 S9+50 *51 89049.85238 43536.15781 41866.88684 86192.19148 56337.23036 39743.84219 9228.353682 64772.70877 43175.28825 84907.45486	
A+52 *53 B+54 *56 C λ GHA T - λ 82118.25485 44888.67168 0.000000000	D 0.000000000 E GHA T - λ tist I 0.000000000 0.000000000

113	#LBL0					169	COS							
114	HMS+					170	SIN ⁻¹							
115	1					171	RCL0							
116	5					172	X ⁻¹ Y							
117	x					173	1	Sight Reduction						
118	RCL0					174	+R							
119	+					175	R↑	Equations						
120	STOE					176	X ⁻¹ Y							
121	2					177	+R							
122	1					178	R↑							
123	STOI					179	STOI							
124	*LBL7	Begin Loop 7				180	X ⁻¹ Y							
125	RCLI					181	+R							
126	FRC					182	X ⁻¹ I							
127	GSB _e					183	R↑							
128	RCL _i					184	+R							
129	INT					185	X ⁻¹ I							
130	EEX					186	+							
131	5					187	X ⁻¹ I							
132	+					188	-							
133	GSB _e					189	+P							
134	DSZI					190	R↓							
135	GTO7	IF not done yet				191	1							
136	RTN	THEN repeat loop 7				192	0							
137	*LBL8					193	0							
138	1					194	+							
139	0	Decode star information				195	RCLC							
140	x					196	X ⁻¹ I							
141	GSB _b					197	SIN ⁻¹							
142	GSB _b					198	5							
143	3					199	XEY?							
144	0					200	GSB _B							
145	x					201	RTN							
146	3					202	*LBL8							
147	4					203	SPC							
148	7					204	CLX							
149	+					205	RCLD							
150	X ⁻¹ Y					206	GSB5							
151	INT					207	DSP2	Star #						
152	RCLI					208	+HMS							
153	STOC					209	GSB5							
154	+					210	DSP1							
155	RCLI					211	*LBL5	Z _n						
156	+					212	PRTX							
157	2					213	F0?							
158	-					214	R/S							
159	STOD					215	R↓							
160	6					216	RTN							
161	x					217	*LBL6							
162	-					218	1							
163	DSP0					219	8							
164	RND					220	x							
165	RCL0					221	FRC							
166	+					222	LSTX							
167	X ⁻¹ Y					223	X ⁻¹ Y							
168	INT					224	RTN							
		LABELS						SET STATUS						
A	L↑λ	B	DATE	C	GMT → LIST	D	DAWN	E	DUSK	0	FLAGS			
a	PRINT?	b	c	d	e	f	g	h	i	j	FLAGS	TRNG	DISP	
0		1	2	3	4	5	6	7	8	9	ON OFF	DEG	FIX	
5		6	7	8	9	0	1	2	3	4	1	GRAD	SCI	
											2	RAD	ENG	
											3	1	n	1

ALMANAC INTERPOLATOR

001	*LBLA	Store L, λ	057	RCL8					
002	HMS+		058	+					
003	STO1		059	SIN ⁻¹					
004	Rd		060	STO8					
005	HMS+		061	RCL8					
006	STO3		062	-					
007	RTN		063	RCL8					
008	#LBLb	Store HE	064	COS					
009	STOC		065	RCL8					
010	RTN		066	ABS					
011	*LBLc	MOON-STARS Toggle	067	TAN					
012	F1?		068	3					
013	STO1		069	.					
014	SF1		070	6					
015	8	0 = SUN, STARS	071	7					
016	*LBLd		072	x					
017	HMS+		073	SIN ⁻¹					
018	STO8	Store semidiameter	074	F1?					
019	RTN		075	CLX					
020	#LBL1		076	x					
021	CF1		077	-					
022	1	1 = MOON	078	RCL8					
023	RTN		079	-					
024	#LBLA		080	6					
025	HMS+	Store GMT	081	0					
026	STO1		082	x					
027	INT		083	STO8					
028	STOE		084	RTN					
029	RTN		085	*LBLE					
030	#LBLB		086	DSP4					
031	HMS+	Input GHA's	087	0					
032	XZY		088	GSB1					
033	HMS+		089	RCL8					
034	STO5		090	RCL8					
035	-		091	+					
036	SIN		092	SIN ⁻¹					
037	SIN ⁻¹		093	STO8					
038	STO6		094	GSB2					
039	R/S		095	-					
040	HMS+	Input SHA of star	096	RCL8					
041	ST+5		097	COS					
042	RTN		098	RCL8					
043	*LBLC		099	ABS					
044	HMS+		100	TAN					
045	XZY	Input declinations	101	3					
046	HMS+		102	.					
047	STO4		103	6					
048	-		104	7					
049	STO8		105	x					
050	RTN		106	SIN ⁻¹					
051	#LBLD	h _s → Z _n , a	107	F1?					
052	DSP1		108	CLX					
053	HMS+		109	x					
054	GSB1		110	-					
055	PRT		111	RCL8					
056	RCL9		112	-					

REGISTERS

0	1	2	3	4	5	6	7	8	9
α_1	da/dt	δ_1	d δ /dt	5D	L	λ	Z _n	H _c	a
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9
A	B	$h_s - D - R_n$	C	HE	D	E	α_T	I	GMT

113	HNS				169	ENT†		
114	R/S				170	ENT†		
115	RCL7				171	3		
116	RTN				172	+		
117	#LBL1	Subroutine to compute Z _n and most of H _c			173	1		
118	STOB				174	2		
119	RCL6				175	X		
120	RCLI				176	TAN ⁻¹		
121	RCLE				177	-		
122	-				178	TAN		
123	X				179	RCLC		
124	RCL5				180	4X		
125	+				181	-		
126	STO2				182	6		
127	RCLD				183	2		
128	RCLI				184	÷		
129	RCLE				185	RTN		
130	-				186	#LBL2	New GMT	
131	X				187	HNS*		
132	RCLA				188	STOI		
133	+				189	RTN		
134	STO4							
135	RCLB							
136	GSB2							
137	+							
138	STOB							
139	RCL3							
140	1							
141	*R							
142	STO9							
143	RCL2							
144	RCL1							
145	-							
146	RCL4							
147	COS							
148	*R							
149	STX9							
150	RT							
151	STOB							
152	X							
153	RT							
154	RCL4							
155	SIN							
156	STX8							
157	X							
158	-							
159	*P							
160	R4							
161	1							
162	8							
163	θ							
164	+							
165	STO7							
166	RTN							
167	#LBL2							
168	ENT†							

LABELS

					FLAGS		SET STATUS		
^a GMT	^b α ₁ α ₂ ; (SHA)	^c δ ₁ ↑δ ₂	^d h _s →Z _n , a	^e →h _s ; Z _n	0		FLAGS	TRIG	DISP
^a L↑λ	^b HE	^c MOON7 (=1)	^d S _D	^e New GMT	1		ON OFF	DEG <input checked="" type="checkbox"/>	FIX <input checked="" type="checkbox"/>
0	1	2	3	4	2		1	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5	6	7	8	9	3		2	<input type="checkbox"/>	<input checked="" type="checkbox"/>
							3	<input type="checkbox"/>	<input checked="" type="checkbox"/>

n

SUN LINE OF POSITION

061	*LBLA			857	+				
062	ST06			858	8				
063	X \approx Y			859	9				
064	ST04	Store month		860	6				
065	3			861	+				
066	8			862	-				
067	5			863	ST-6				
068	6			864	3				
069	z			865	6				
070	INT			866	9				
071	ST+6			867	ST0C				
072	R \ddagger			868	STX6				
073	ST08	Store year		869	RTN				
074	RCL4			870	*LBLA				
075	3			871	HMS \ddagger				
076	X \gg Y?			872	ST01	Store λ			
077	1			873	X \approx Y				
078	RCLB			874	HMS \ddagger				
079	4			875	ST03	Store L			
080	÷			876	RTN				
081	FRC			877	*LBLB	GMT			
082	+			878	HMS \ddagger				
083	1			879	1				
084	X \approx Y			880	5				
085	X=Y?			881	x				
086	2			882	ST02				
087	RCLB			883	RCL6				
088	7			884	+				
089	-			885	RCLA				
090	RCL6			886	÷				
091	3			887	1				
092	6			888	1				
093	5			889	8				
094	.			890	.				
095	2			891	1				
096	5			892	RCLB				
097	ST04			893	9				
098	÷			894	6				
099	+			895	8				
0100	ST04			896	+				
0101	2			897	-				
0102	0			898	+				
0103	x			899	.				
0104	ST08			900	2				
0105	SIN	Ω , long. of Moon's ascending node		901	+R				
0106	4			902	9				
0107	x			903	.				
0108	5			904	5				
0109	0			905	8				
0110	9			906	-				
0111	4			907	ST08				
0112	1			908	x				
0113	+			909	+				
0114	RCL4			910	RCLB				
0115	7			911	4				
0116	x			912	2				
REGISTERS									
0 SD	¹ λ	² $\alpha = \text{GHA}$	³ L	⁴ δ	⁵ HE	⁶ Days	⁷ Z_n	⁸ H_c	⁹ a
SD	S1	S2	S3	S4	S5	S6	S7	S8	S9
A 365.25	B YR, Ω	C 360	D	E	I	L			

STAR LINE OF POSITION

001	*LBLA										
002	ST06	Store Day									
003	X \approx Y										
004	ST04	Store Month									
005	3										
006	0										
007	5										
008	6										
009	Z										
310	INT										
811	ST+6										
812	R \ddagger										
813	ST05	Store Year									
814	RCL4										
815	3										
816	X \approx Y?										
817	1										
818	RCL5										
819	4										
820	\ddagger										
821	FRC										
822	+										
823	1										
824	X \approx Y										
825	X=Y \ddagger										
826	2										
827	ST-6										
828	1										
829	9										
830	6										
831	9										
832	.										
833	1	Whole years from 1969.1									
834	ST-5										
835	RCL6										
836	3										
837	6										
838	5										
839	.										
840	2										
841	5										
842	ST0A										
843	\ddagger										
844	ST+5	Add fractional year									
845	3										
846	6										
247	0										
848	ST0C										
849	STX6										
850	2										
851	5										
852	9										
853	8										
854	6										
855	ST+6										
856	RCLA										
REGISTERS											
0	1 λ	2 GHA*	3 L	4 δ	5 YEAR	6 DAY	7 Z_n	8 H_c	9 a		
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9		
A 366.25	B HE	C 360	D 6 69	E α 69	I						

113	ST#4				169	PRTX		
114	RCLD				170	RCLI		
115	ST#4				171	ST08		
116	RCLC				172	#HMS		
117	ST#8				173	DSP4		
118	RCLC				174	PRTX		
119	RTN				175	RTN		
120	*LBLB				176	*LBLC		
121	HMS+				177	DSP1		
122	ST01	Store λ			178	HMS+		
123	XZY				179	ENT†		
124	HMS+				180	ENT†		
125	ST03	Store L			181	ENT†		
126	RTN				182	3		
127	*LBLB				183	+		
128	HMS+				184	1		
129	1				185	2		
130	5				186	x		
131	.				187	TAN-‡		
132	0				188	-		
133	4				189	TAN		
134	1				190	RCLB		
135	6				191	JX		
136	7				192	-		
137	x				193	6		
138	RCL6				194	2		
139	+				195	÷		
140	RCL8				196	+		
141	+				197	RCL8		
142	ST02				198	-		
143	RCL1				199	CWS		
144	-				200	6		
145	RCL4				201	0		
146	COS				202	x		
147	+R				203	ST09		
148	RCL3				204	RTN		
149	ST01				205	*LBL1		
150	XZY				206	RCLC		
151	+R				207	÷		
152	X±I				208	INT		
153	RCL4				209	-		
154	SIN				210	5		
155	+R				211	0		
156	X±I				212	÷		
157	+				213	*LBL2		
158	SIN-‡				214	RCL5		
159	X±I				215	x		
160	-				216	RTN		
161	+P				217	*LBL6		
162	R4				218	ST08		
163	1				219	RTN		
164	8							
165	0							
166	+							
167	ST07	Z _n , azimuth						
168	DSP1							

LABELS

FLAGS

SET STATUS

A	Y	T	M	I	D	B	GMT + Z _n , H _c	C	h _s → a	D	E	O	0	FLAGS	TRIG	DISP
*	L†λ	0	HE	c	d	e						1		ON OFF	DEG	FIX
0	1		2		3							2	1	GRAD	SCI	
5	6		7		8							3	2	RAD	ENG	

STAR DATA 1

001	#LBLa	ACAMAR		057	GTO1				
002	3			056	#LBLd				
003	1			059	2				
004	5			060	5				
005	.			061	3				
006	7			062					
007	2			063	6				
008	8			064	4				
009	8			065	8				
010	STOE			066	3				
011	4			067	STOE				
012	0			068	2				
013	.			069	8				
014	4			070	.				
015	2			071	9				
016	8			072	2				
017	1			073	8				
018	CHS			074	9				
019	GTO1			075	CHS				
020	#LBLb	ACHERNAR		076	GTO1				
021	3			077	#LBLc				
022	3			078	2				
023	5			079	9				
024	.			080	1				
025	8			081	.				
026	5			082	4				
027	9			083	6				
028	6			084	5				
029	STOE			085	8				
030	5			086	STOE				
031	7			087	1				
032	.			088	6				
033	3			089	.				
034	9			090	4				
035	3			091	4				
036	9			092	8				
037	CHS			093	3				
038	GTO1			094	GTO1				
039	#LBLc	ACRUX		095	#LBLa				
040	1			096	1				
041	7			097	6				
042	3			098	6				
043	.			099	.				
044	7			100	8				
045	8			101	3				
046	5			102	2				
047	8			103	5				
048	STOE			104	STOE				
049	6			105	5				
050	2			106	6				
051	.			107	.				
052	9			108	1				
053	2			109	2				
054	7			110	7				
055	5			111	8				
056	CHS			112	GTO1				
REGISTERS									
0	1	2	3	4	5	6	7	8	9
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9
A	B	C	D	E	F				

113	#LBLB	ALKAID							
114	1					169	8		
115	5					170	4		
116	3					171	2		
117	.					172	STOE		
118	4					173	8		
119	2					174	.		
120	STOE					175	5		
121	4					176	2		
122	9					177	3		
123	.					178	3		
124	4					179	CHS		
125	6					180	#LBL1		
126	7					181	STOD		
127	5					182	RTN		
128	GTO1								
129	*LBLC	ALNA'IR							
130	2								
131	8								
132	.								
133	4								
134	2								
135	8								
136	3								
137	STOE								
138	4								
139	7								
140	.								
141	1								
142	1								
143	1								
144	9								
145	CHS								
146	GTO1								
147	*LBLD								
148	2	ALNILAM							
149	7								
150	6								
151	.								
152	3								
153	4								
154	STOE								
155	1								
156	.								
157	2								
158	2								
159	8								
160	3								
161	CHS								
162	GTO1								
163	*LBLE	ALPHARD							
164	2								
165	1								
166	8								
167	.								
168	4								
LABELS					FLAGS		SET STATUS		
A	B	C	D	E	0		FLAGS	TRIG	DISP
a	b	c	d	e	1		ON OFF	DEG	FIX
0	1	2	3	4	2		1	SCI	OFF
5	6	7	8	9	3		2	RAD	ENG
							3	n	

STAR DATA 2

001	#LBLa	ALPHECCA		057	CHS					
002	1			058	GTO1					
023	2			055	#LBLd					
004	6			066	3					
005	.			061	5					
006	6			062	3					
007	5			063	.					
008	6			064	8					
009	7			065	1					
018	STOE			066	1					
011	2			067	3					
012	6			068	STOE					
013	.			069	4					
014	8			070	2					
015	1			071	.					
016	8			072	4					
017	1			073	7					
018	GTO1			074	4					
019	*LBLb	ALPHERATZ		075	4					
020	3			076	CHS					
021	5			077	GTO1					
022	8			078	#LBLc					
023	.			079	1					
024	3			080	1					
025	8			081	3					
026	5			082	.					
027	8			083	1					
028	STOE			084	2					
029	2			085	4					
030	8			086	2					
031	.			087	STOE					
032	9			088	2					
033	1			089	6					
034	9			090	.					
035	4			091	3					
036	GTO1			092	6					
037	*LBLc	ALTAIR		093	4					
038	1			094	7					
039	8			095	CHS					
040	1			096	GTO1					
041	7			097	#LBLd					
042	.			098	2					
043	3			099	6					
044	1			100	6					
045	7			101	6					
046	5			102	.					
047	CHS			103	4					
048	STOE			104	3					
049	7			105	8					
050	1			106	3					
051	1			107	STOE					
052				108	3					
053	2			109	6					
054	1			110	.					
055	4			111	9					
056	7			112	.					
REGISTERS										
0	1	2	3	4	5	6	7	8	9	
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9	
A	B	C	D	E			I			

113	3					169	1				
114	4					170	GTO1				
115	3					171	#LBL1				
116	1					172	2				
117	GTO1					173	7				
118	*LBLB					174	1				
119	1					175	.				
120	0					176	6				
121	8					177	2				
122	.					178	6				
123	5					179	7				
124	5					180	STOE				
125	8					181	7				
126	8					182	.				
127	STOE					183	4				
128	6					184	8				
129	8					185	2				
130	.					186	9				
131	9					187	#LBL1				
132	7					188	STOD				
133	3					189	RTN				
134	3										
135	CHS										
136	GTO1										
137	*LBLC										
138	2										
139	3										
140	4										
141	.										
142	5										
143	3										
144	STOE										
145	5										
146	9										
147	.										
148	4										
149	9										
150	9										
151	4										
152	CHS										
153	GTO1										
154	*LBLD										
155	2										
156	7										
157	9										
158	.										
159	1										
160	3										
161	3										
162	2										
163	STOE										
164	6										
165	.										
166	3										
167	2										
168	3										
LABELS						FLAGS	SET STATUS				
A	B	C	D	E	0		FLAGS	TRIG	DISP		
a	b	c	d	e	1	0	ON OFF	DEG	□	FIX	□
0	1	2	3	4	2	1	□ □	GRAD	□	SCI	□
5	6	7	8	9	3	2	□ □	RAD	□	ENG	□
						3	□ □	n			

STAR DATA 3

001	*LBL _a	CANOPUS		057	2				
002	2			058	6				
003	6			059	3				
004	4			060	.				
005	.			061	1				
006	1			062	3				
007	8			063	STOE				
008	5			064	1				
009	4			065	4				
010	STOE			066	.				
011	5			067	7				
012	2			068	4				
013	.			069	5				
014	6			070	3				
015	7			071	GT01				
016	9			072	*LBL _a				
017	3			073	3	DIPHDA			
018	CHS			074	4				
019	GT01			075	9				
020	*LBL _b	CAPELLA		076	.				
021	2			077	4				
022	8			078	9				
023	1			079	1				
024	.			080	7				
025	4			081	STOE				
026	8			082	1				
027	8			083	8				
028	8			084	.				
029	STOE			085	1				
030	4			086	5				
031	5			087	6				
032	.			088	4				
033	9			089	CHS				
034	6			090	GT01				
035	8			091	*LBL _a				
036	3			092	1	DUBHE			
037	GT01			093	9				
038	*LBL _c	DENEBA		094	4				
039	4			095	.				
040	9			096	5				
041	.			097	4				
042	9			098	2				
043	8			099	9				
044	6			100	STOE				
045	7			101	6				
046	STOE			102	1				
047	4			103	.				
048	5			104	9				
049	.			105	1				
050	1			106	8				
051	6			107	6				
052	8			108	GT01				
053	9			109	*LBL _b				
054	GT01			110	2	ELNATH			
055	*LBL _d	DENEBOA		111	7				
056	1			112	8				
REGISTERS									
0	1	2	3	4	5	6	7	8	9
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9
A	B	C	D	E			I		

113	.					165	2	
114	9					170	0	
115	1					171	.	
116	7					172	7	
117	5					173	8	
118	STOE					174	6	
119	2					175	9	
120	8					176	CHS	
121	.					177	*LBL1	
122	5					178	STOD	
123	8					179	RTN	
124	2							
125	8							
126	GTO1							
127	*LBLC	ELTANIN						
128	9							
129	1							
130	.							
131	0							
132	2							
133	8							
134	7							
135	STOE							
136	5							
137	1							
138	.							
139	4							
140	9							
141	1							
142	9							
143	GTO1							
144	*LBLD	ENIF						
145	3							
146	4							
147	.							
148	3							
149	3							
150	4							
151	6							
152	STOE							
153	9							
154	.							
155	7							
156	3							
157	2							
158	2							
159	GTO1							
160	*LBLE	FOMALHAUT						
161	1							
162	6							
163	.							
164	0							
165	1							
166	5							
167	8							
168	STOE							
LABELS					FLAGS	SET STATUS		
A	B	C	D	E	0	FLAGS	TRIG	DSP
a	b	c	d	e	1	ON OFF	DEG	FIX
0	1	2	3	4	2	1	GRAD	SCI
5	6	7	8	9	3	2	RAD	ENG
						3	n	

STAR DATA 4

001	#LBL _a	GACRUX									
002	1										
003	7										
004	2										
005	.										
006	6										
007	4										
008	1										
009	3										
010	STOE										
011	5										
012	6										
013	.										
014	9										
015	4										
016	CHS										
017	GT01										
018	#LBL _b	GIENAH									
019	1										
020	7										
021	6										
022	.										
023	4										
024	4										
025	7										
026	9										
027	STOE										
028	1										
029	7										
030	.										
031	3										
032	7										
033	CHS										
034	GT01										
035	#LBL _c	HADAR									
036	1										
037	4										
038	9										
039	.										
040	5										
041	9										
042	5										
043	STOE										
044	6										
045	8										
046	.										
047	2										
048	2										
049	4										
050	4										
051	CHS										
052	GT01										
053	#LBL _d	HAMAL									
054	3										
055	2										
056	8										
REGISTERS											
0	1	2	3	4	5	6	7	8	9		
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9		
A	B	C	D	E			I				

113	7					169	STOE		
114	STOE					170	6		
115	1					171	9		
116	5					172			
117	.					173	5		
118	8					174	8		
119	3					175	9		
120	8					176	4		
121	1					177	CHS		
122	GTO1					178	*LBL1		
123	*LBLC					179	STOD		
124	3	MENKAR				180	RTN		
125	1								
126	4								
127	.								
128	8								
129	3								
130	5								
131	8								
132	STOE								
133	3								
134	.								
135	9								
136	6								
137	9								
138	2								
139	GTO1								
140	*LBLD								
141	1	MENKENT							
142	2								
143	2								
144	8								
145	.								
146	7								
147	8								
148	7								
149	5								
150	STOE								
151	6								
152	8								
153	3								
154	.								
155	7								
156	8								
157	1								
158	7								
159	GTO1								
160	*LBLE								
161	2	MIAPLACIDUS							
162	2								
163	1								
164	.								
165	7								
166	8								
167	2								
168	9								

LABELS						FLAGS			SET STATUS		
A	B	C	D	E	O	FLAGS	TRIG	DISP	ON OFF	DEG	FIX
a	b	c	d	e	1				0 <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
0	1	2	3	4	2				1 <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	6	7	8	9	3				2 <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
									3 <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

STAR DATA 5

881	*LBLa	MIRFAK		857	3				
882	3			858	2				
883	6			859	9				
884	9			860	.				
885	.			861	3				
886	4			862	7				
887	7			863	8				
888	5			864	8				
889	ST03			865	ST0E				
890	CLR6			866	8				
891	ST0E			867	9				
892	4			868	.				
893	9			869	1				
894	.			870	2				
895	7			871	1				
896	5			872	4				
897	2			873	GT01				
898	2			874	*LBLb		POLLUX		
899	GT01			875	1				
900	*LBLb	NUNKI		876	3				
901	7			877	2				
902	6			878	4				
903	.			879	.				
904	6			880	1				
905	6			881	4				
906	4			882	4				
907	2			883	6				
908	ST0E			884	ST0E				
909	2			885	2				
910	6			886	9				
911	.			887	.				
912	3			888	1				
913	3			889	8				
914	6			890	2				
915	9			891	5				
916	CHS			892	GT01				
917	GT01			893	*LBLA		PROCYON		
918	*LBLc	PEACOCK		894	1				
919	5			895	3				
920	4			896	2				
921	.			897	5				
922	1			898	.				
923	9			899	5				
924	8			900	8				
925	8			901	ST0E				
926	ST0E			902	1				
927	5			903	8				
928	6			904	0				
929	6			905	5				
930	4			906	5				
931	.			907	3				
932	2			908	8				
933	3			909	8				
934	6			910	2				
935	9			911	5				
936	CHS			912	GT01				
937	GT01			913	*LBLB				
938	*LBLc	PEACOCK		914	1				
939	5			915	3				
940	4			916	2				
941	.			917	5				
942	1			918	.				
943	9			919	5				
944	8			920	8				
945	8			921	ST0E				
946	ST0E			922	1				
947	5			923	8				
948	6			924	0				
949	.			925	5				
950	8			926	.				
951	3			927	3				
952	6			928	8				
953	1			929	5				
954	CHS			930	6				
955	GT01			931	GT01				
956	*LBLd	POLARIS		932	*LBLB		RASALHAGUE		
REGISTERS									
0	1	2	3	4	5	6	7	8	9
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9
A	B	C	D	E	F	G	H	I	J

113	9					169	6				
114	6					170	8				
115	.					171	.				
116	6					172	6				
117	2					173	3				
118	6					174	STOE				
119	7					175	1				
120	STOE					176	5				
121	1					177	8				
122	2					178	8				
123	.					179	.				
124	5					180	7				
125	8					181	8				
126	1					182	8				
127	1					183	6				
128	GTO1					184	CHS				
129	*LBL0					185	*LBL1				
130	2					186	ST00				
131	8					187	RTN				
132	8										
133	.										
134	3										
135	1										
136	9										
137	2										
138	STOE										
139	1										
140	2										
141	.										
142	1										
143	1										
144	9										
145	4										
146	GTO1										
147	*LBL0										
148	2										
149	8										
150	1										
151	.										
152	7										
153	3										
154	8										
155	3										
156	STOE										
157	8										
158	.										
159	2										
160	3										
161	6										
162	1										
163	CHS										
164	GTO1										
165	*LBL0										
166	1										
167	3										
168	4										
LABELS						FLAGS	SET STATUS				
A	B	C	D	E	O		FLAGS	TRIG	DISP		
a	b	c	d	e	1		ON OFF	DEG	FIX		
0	1	2	3	4	2		1	GRAD	SCI		
5	6	7	8	9	3		2	RAD	ENG		
							3	□	n		

STAR DATA 6

001	#LBL _a	SABIK		057	1					
002	1			058	3					
003	0			059	3					
004	2			060	9					
005	.			061	.					
006	8			062	0					
007	5			063	5					
008	0			064	4					
009	8			065	2					
010	STOE			066	STOE					
011	1			067	2					
012	5			068	8					
013	.			069	6					
014	6			070	3					
015	8			071	.					
016	8			072	3					
017	1			073	2					
018	CHS			074	7					
019	GT01			075	8					
020	#LBL _b	SCHEDAR		076	GT01					
021	3			077	#LBL _c					
022	5			078	1					
023	0			079	5					
024	.			080	9					
025	3			081	.					
026	1			082	1					
027	6			083	1					
028	3			084	0					
029	STOE			085	8					
030	5			086	STOE					
031	6			087	1					
032	.			088	1					
033	3			089	CHS					
034	6			090	GT01					
035	7			091	#LBL _a					
036	8			092	2					
037	GT01			093	2					
038	#LBL _c	SHAULA		094	3					
039	9			095	.					
040	7			096	2					
041	.			097	8					
042	1			098	6					
043	2			099	3					
044	4			100	STOE					
045	6			101	4					
046	STOE			102	3					
047	3			103	.					
048	7			104	3					
049	.			105	0					
050	0			106	5					
051	8			107	9					
052	3			108	CHS					
053	1			109	GT01					
054	CHS			110	#LBL _b					
055	GT01			111	8					
056	#LBL _d	SIRIUS		112	1					

REGISTERS

0	1	2	3	4	5	6	7	8	9	
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9	
A	B	C	D	E			I			

113	.			
114	0			
115	2			
116	7			
117	9			
118	STOE			
119	3			
120	8			
121	.			
122	7			
123	5			
124	3			
125	9			
126	GTO1			
127	#LBL0	ZUBENELGENUBI		
128	1			
129	3			
130	7			
131	.			
132	7			
133	1			
134	STOE			
135	1			
136	5			
137	.			
138	9			
139	1			
140	4			
141	2			
142	CHS			
143	#LBL1			
144	STOD			
145	RTN			

LABELS					FLAGS	SET STATUS		
A	B	C	D	E	0	FLAGS	TRIG	DISP
a	b	c	d	e	1	ON OFF	DEG	FIX
0	1	2	3	4	2	1	GRAD	SCI
5	6	7	8	9	3	2	RAD	ENG
						3	n	

BEARING LINE OF POSITION

001	#LBLA			057	LSTX				
002	HMS+			058	GSB5				
003	ST01	Store λ_1		059	RCL3				
004	X \approx Y			060	GSB5				
005	HMS+	Store L ₁		061	-				
006	ST03			062	RCLB				
007	θ			063	1				
008	ST08	H _c and a = 0		064	+R				
009	ST09			065	X θ ?				
010	3			066	GT04				
011	6			067	÷				
012	θ			068	x				
013	STOC			069	5				
014	R/S			070	7				
015	ST06	Store Z ₁		071	.				
016	9			072	3				
017	θ			073	x				
018	+			074	GT06				
019	ST07	Store Z ₁ + 90		075	#LBL4				
020	RCL3			076	RCLB				
021	RCL1			077	SIN				
022	RCL6			078	RCLA				
023	GSB3	Compute location of "false star"		079	x				
024	θ			080	RCL5				
025	RTN			081	COS				
026	#LBL8			082	÷				
027	P \approx S			083	CHS				
028	GSBA	Store L ₂ , λ_2 , and Z ₂		084	#LBL6				
029	RCL1			085	RCL1				
030	RCL3			086	+				
031	P \approx S	Rearrange registers		087	GSB2				
032	ST05			088	ST01				
033	X \approx Y			089	P \approx S				
034	ST08			090	#LBLD				
035	RCL1			091	P \approx S				
036	RCL3			092	RCL1				
037	P \approx S			093	RCL8				
038	ST03			094	-				
039	X \approx Y			095	GSB2				
040	ST01			096	RCL5				
041	RTN			097	COS				
042	#LBLC			098	x				
043	HMS+			099	RCL5				
044	x			100	RCL3				
045	6			101	-				
046	θ			102	CHS				
047	÷	Distance		103	RCL6				
048	ST0A			104	TAN				
049	X \approx Y			105	x				
050	ST08	Store course		106	+				
051	COS			107	RCL6				
052	x			108	TAN				
053	P \approx S			109	P \approx S				
054	RCL3			110	RCL6				
055	+			111	P \approx S				
056	ST03			112	TAN				

REGISTERS

0	1 λ_2, λ_1	2 α_2	3 L_2, L_1	4 δ_2	5	6 Z_2	7 Z_{n2}	8 0	9 0
S ⁰ λ_2	S ¹ λ_1	S ² α_1	S ³ L_1	S ⁴ δ_1	S ⁵ L_2	S ⁶ Z_1	S ⁷ Z_{n1}	S ⁸ 0	S ⁹ 0
A D, L	B C, λ	C 360	D	E					

113	-		169	RTN				
114	+							
115	STO							
116	RCL5							
117	+							
118	STOA							
119	+HMS							
120	RCL6							
121	RCLI							
122	P _S S							
123	RCL6							
124	P _S S							
125	TAN							
126	x							
127	RCL5							
128	COS							
129	+							
130	-							
131	GSB2							
132	STOB							
133	+HMS							
134	X _Z Y							
135	R/S							
136	X _Z Y							
137	P _S S							
138	RTN							
139	#LBL2							
140	I							
141	+R							
142	+P							
143	R4							
144	RTN							
145	#LBL3							
146	I							
147	+R							
148	X _Z Y							
149	R _Z							
150	X _Z Y							
151	+R							
152	SIN ⁻¹							
153	COS							
154	ST04							
155	R4							
156	+P							
157	R4							
158	-							
159	ST02							
160	RTN							
161	#LBL5							
162	2							
163	÷							
164	4							
165	5							
166	+							
167	TAN							
168	LN							
LABELS						FLAGS	SET STATUS	
A L ₁ ↑ λ ₄ ; Z ₁	B L ₂ ↑ λ ₂ ; Z ₂	C CtSTT→L ₁ λ ^D →L, λ	E	0		FLAGS	TRIG	DISP
*	b	c	d	e	1	ON OFF	DEG <input checked="" type="checkbox"/>	FIX <input checked="" type="checkbox"/>
0	1	2	3	4	2	1 <input type="checkbox"/> <input checked="" type="checkbox"/>	GRAD <input type="checkbox"/>	SCI <input type="checkbox"/>
5	6	7	8	9	3	2 <input type="checkbox"/> <input checked="" type="checkbox"/>	RAD <input type="checkbox"/>	ENG <input type="checkbox"/>
						3 <input type="checkbox"/> <input checked="" type="checkbox"/>	n <u>4</u>	

TWO-ANGLE LINE OF POSITION

001	#LBLA				057	SIN			
002	HNS+				058	RCL2			
003	ST00	Store λ_A			059	2			
004	XZY				060	\div			
005	HNS+				061	SIN			
006	ST01	Store L_A			062	\div			
007	RTN	-----			063	RCL2			
008	#LBLC				064	2			
009	HNS+				065	\div			
010	ST05	Store λ_C			066	COS			
011	XZY				067	XZY			
012	HNS+				068	x			
013	ST06	Store L_C			069	LSTX			
014	R/S				070	SIN 4			
015	ST0A	Store Z_C			071	COS			
016	RTN	-----			072	i			
017	#LBLB				073	-			
018	P/S	Store L_E, λ_E in secondary registers			074	CHS			
019	GSBA				075	\div			
020	P/S				076	TAN 4			
021	RTN	-----			077	ST08			
022	#LBLB				078	TAN			
023	HNS+				079	RCL4			
024	ST02	Store ΔZ_{AC}			080	COS			
025	RCL4				081	i			
026	XZY				082	-			
027	-				083	CHS			
028	ST03	Store Z_A			084	x			
029	GSBS	Compute approximate L, λ			085	RCL4			
030	RTN	-----			086	SIN			
031	#LBLD				087	\div			
032	RCL5				088	COS 4			
033	RCL6				089	R 4			
034	P/S				090	RCL4			
035	ST06				091				
036	R 4				092	SIN			
037	ST05				093	RCL2			
038	R 4				094	COS			
039	HNS+				095	x			
040	ST02				096	ABS			
041	RCLA				097	LSTX			
042	+				098	\div			
043	ST03	Store Z_E			099	x			
044	GSBS	Compute approximate L, λ			100	$+$			
045	RTN	-----			101	RCL6			
046	#LBL5				102	RCL8			
047	RCL5				103	GSBS			
048	RCL8				104	SIN 4			
049	-				105	ST04			
050	RCL6				106	R 4			
051	RCL1				107	CHS			
052	GSBS				108	RCL5			
053	COS 4				109	$+$			
054	ST04				110	ST02			
055	2				111	#LBL4			
056	\div				112	RCL6			

REGISTERS

0	λ_A	1	L_A	2	$\Delta Z_{AC}, \alpha_1$	3	Z_A	4	d, δ_1	5	λ_C	6	L_C	7		8		9
S0	λ_E	S1	L_E	S2	$\Delta A_{cE}, \alpha_2$	S3	Z_E	S4	d, δ_2	S5	λ_c	S6	L_c	S7		S8		S9
A	Z_c	B		C		D		E		F		G		H	I			

113	ENT†		169	P±S		
114	COS		170	ST05		
115	RCL8		171	R4		
116	RCL5		172	ST06		
117	-		173	R4		
118	GSB2		174	9		
119	X		175	0		
120	RCL1		176	ST-7		
121	RCL6		177	-		
122	-		178	ST0A		
123	RCL3		179	RCL1		
124	TAN		180	ST08		
125	X		181	RCL3		
126	+		182	ST01		
127	RCL3		183	RCL7		
128	TAN		184	ST03		
129	RCLA		185	GTO4		
130	TAN		186	#LBL3		
131	-		187	I		
132	=		188	*R		
133	+		189	R†		
134	ST03		190	X*Y		
135	RCL5		191	*R		
136	LSTX		192	R†		
137	RCLA		193	ST01		
138	TAN		194	X*Y		
139	X		195	*R		
140	RCL6		196	X*I		
141	COS		197	R†		
142	÷		198	*R		
143	-		199	X*I		
144	ST01		200	+		
145	RCL2		201	X*I		
146	-		202	-		
147	RCL3		203	CHS		
148	RCL4		204	*P		
149	GSB3		205	X*I		
150	R4		206	RTN		
151	ST07					
152	θ	Store Z _n				
153	ST09					
154	RCL3	a = 0				
155	+HNS					
156	R/S	approximate L				
157	RCL1					
158	+HNS	approximate λ				
159	#LBL2					
160	I	Subroutine to force x ≤ 180°				
161	*R					
162	*P					
163	R†					
164	RTN					
165	#LBL6					
166	RCL7					
167	RCL3					
168	RCL1					

LABELS					FLAGS		SET STATUS	
A _{LA} ↑λ _A	B _{ΔZAC} →L, λ	C _{L_E↑λ_c; Z_c}	D _{ΔZCD} →L, λ	E _{L_E↑λ_E}	0	FLAGS	TRIG	DISP
a	b	c	d	e	1	ON 0 OFF 1	DEG <input checked="" type="checkbox"/> GRAD <input type="checkbox"/>	FIX <input checked="" type="checkbox"/> SCI <input type="checkbox"/>
0	1	2	3	4	2	1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/>	RAD <input type="checkbox"/> ENG <input type="checkbox"/>	
5	6	7	8	9	3	2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/>		n <u>4</u>

FIX FROM TWO LINES OF POSITION

081	#LBLA	C \uparrow S \uparrow Δt	057	ST-8		
082	HHS+		058	P \pm S		
083	x		059	RCL9		
084	6		060	LSTX		
085	0		061	\div		
086	\div	D = S Δt	062	ST-8		
087	ST08		063	P \pm S		
088	X \pm Y		064	#LBL9		
089	STOI		065	SF0		
090	COS		066	SF1		
091	x		067	P \pm S		
092	P \pm S		068	RCL2		
093	RCL3	Move geographical position of body used for first LOP using rhumb line equations	069	P \pm S		
094	P \pm S		070	RCL2		
095	+		071	-		
096	ST03		072	RCL4		
097	LSTX		073	P \pm S		
098	GSBc		074	RCL4		
099	RCL3		075	GSB2		
099	GSBc		076	ST08		
099	-		077	X \pm Y		
099	RCLI		078	ST08		
099	i		079	RCLI		
099	+R		080	P \pm S		
099	X \pm B?		081	RCLI		
099	GT04		082	-		
099	\div		083	RCL3		
099	x		084	P \pm S		
099	5		085	RCL3		
099	7		086	X \pm Y		
099	.		087	GSB2		
099	3		088	SIN $^{-1}$		
099	x		089	X \pm Y		
099	GT06		090	RCL7		
099	*LBLd		091	-		
099	RCLI		092	X \pm Y		
099	SIN		093	RCL8		
099	RCL8		094	GSB2		
099	x		095	P \pm S		
099	RCL3		096	RCL8		
099	COS		097	RCLA		
099	\div		098	+R		
099	CHS		099	R4		
099	#LBLb		100	-		
099	P \pm S		101	R7		
099	RCLI		102	RCLA		
099	P \pm S		103	COS $^{-1}$		
099	+		104	TAN		
099	ST01		105	x		
099	*LBLc	IF this is first time THEN replace H _c with H ₀	106	\div		
099	F0?		107	COS $^{-1}$		
099	GT09		108	ST08		
099	RCL9		109	CHS		
099	6		110	#LBL4		
099	0		111	RCL8		
099	\div		112	+		
REGISTERS						
0 D	1 λ_2	2 $\alpha_1 = \text{GHA}_2$	3 L ₂	4 δ_2	5 L?	6 $\lambda?$
50 A	S1 λ_1	S2 α_1	S3 L ₁	S4 δ_1	S5 L?	S6 $\lambda'?$
A cos D	x \neq A		C 360	D SCRATCH, D	E SCRATCH	I SCRATCH

Compute fix using
Dozier's methodDistance GP₁ to GP₂

A

113	RCL4				169	+R		
114	RCL8				170	X ² I		
115	GSB2				171	+		
116	SIN ⁻	Distance 1, 2			172	X ² I	outputs: y = Z - 180 x = sin(h)	
117	RCL2				173	-		
118	X ² Y				174	COS		
119	F1?				175	+P		
120	P ² S				176	X ² I		
121	ST05	Store trial L			177	RTN		
122	R ⁴				178	#LBL5		
123	+				179	RCL1		
124	1				180	RCL6		
125	+R				181	-		
126	+P	λ ≤ 180°			182	RCL5		
127	X ² Y				183	RCL3		
128	ST06	Store trial λ			184	GSB2		
129	F2?				185	COS ⁻		
130	GT08				186	RTN		
131	SF2				187	#LBLc		
132	P ² S				188	2		
133	CF1	First time through			189	÷		
134	RCL8				190	4		
135	GT04				191	5		
136	#LBL9	Second time through			192	+		
137	GSB5				193	TAN		
138	P ² S				194	LN		
139	ST08				195	RTN		
140	GSB5				196	#LBLc		
141	RCL8				197	SF2		
142	P ² S				198	#LBLD		
143	XEY?				199	P ² S		
144	GT07	Select proper fix			200	RCL7		
145	P ² S				201	P ² S		
146	SF2				202	RCL7		
147	#LBL7				203	+		
148	RCL6				204	2		
149	RCL5				205	÷		
150	+HMS				206	F2?		
151	F2?				207	9		
152	P ² S				208	θ		
153	R/S				209	+		
154	X ² Y	Display L			210	COS		
155	+HMS				211	COS ⁻		
156	RTN	Display λ			212	STO1		
157	#LBL2				213	RCL7		
158	1	Celestial Triangle			214	-		
159	+R	Subroutine			215	COS		
160	R↑	Inputs: z = t			216	1/X		
161	X ² Y	y = L			217	ABS		
162	+R	x = d			218	R/S		
163	R↑				219	RCLI		
164	STO1				220	RTN		
165	X ² Y							
166	+R							
167	X ² I							
168	R↑							

LABELS

A → L, λ	B	C → D, Z _D	D → ΔD', Z _{D'}	E	0	FLAGS	SET STATUS	
aC1StΔt	b	c	d	e → L, λ	1	0 ON OFF	DEG	FIX
0	1	2	3	4	2	1 ON OFF	GRAD	SCI
5	6	7	8	9	3	2 ON OFF	RAD	ENG
						3 ON OFF		n <u>4</u>

RADAR PLOTTING CLOSEST POINT OF APPROACH

301	#LBLb				857	6				
302	STOC	Store course and speed			858	8				
303	XZY				859	XZY				
304	STOB				860	XZB?				
305	RTN				861	+				
306	#LBLc				862	ST09	Bearing of CPA			
307	STOA	Store Miss Distance			863	RCL7				
308	RTN				864	-				
309	#LBLd				865	COS				
310	DSP8				866	RCL8				
311	PZS	Exchange data			867	x				
312	E1?	IF flag 1			868	+R				
313	GTO1	THEN GTO 1			869	+P				
314	1	Display 1			870	ST08	Range of CPA			
315	SF1				871	RCL7				
316	RTN				872	RCL8				
317	*LBL1				873	RCL4				
318	2	Display 2			874	RCL5				
319	CF1				875	CHS				
320	RTN				876	GSB8				
321	#LBLe				877	RCL6				
322	SF2	First time			878	RCL3				
323	#LBLA				879	-				
324	RCL8				880	=				
325	ST05	Range			891	ST02	Relative speed			
326	R4				892	XZY				
327	ST08				893	ST01	Relative course			
328	R4				894	RCLA				
329	RCL7				895	RCL8				
330	ST04				896	XZY?				
331	R4				897	PSE	IF rCPA < MISS DIST THEN blink display			
332	ST07	Bearing			898	XZY?				
333	R4				899	PSE				
334	HMS?				900	XZY?				
335	RCL6				901	PSE				
336	ST03				902	DSP1				
337	R4				903	R/S	Display range of CPA			
338	ST06				904	DSP8				
339	F2?	Time			905	RCL9				
340	RTN	Stop here first time			906	RTN	Display bearing of CPA			
341	RCL7				907	*LBLB	His course			
342	RCL8				908	DSP8				
343	+R				909	RCL1				
344	RCL4				100	RCL2				
345	RCL5				101	RCL8				
346	+R				102	RCLC				
347	XZY				103	GSB8				
348	R4				104	ST0E				
349	-				105	XZY				
350	R4				106	3				
351	-				107	6				
352	R4				108	8				
353	XZY				109	XZY				
354	+P				110	XZB?				
355	XZY				111	+				
356	3				112	ST0D				
REGISTERS										
0	1 h _r	2 rm	3 t ₁	4 φ ₁	5 D ₁	6 t ₂	7 φ ₂	8 D ₂	9 φ _{CPA, θ}	
S0	rCPA	S1 h _r	S2 rm	S3 t ₁	S4 φ ₁	S5 D ₁	S6 t ₂	S7 φ ₂	S8 D ₂	S9 φ _{CPA, θ}
A	MISS DIST	B COURSE	C SPEED	D h		E em		I t ₃		

113	RTH					169	CHS		
114	#LBLC	His speed				170	SIN		
115	DSP1					171	RCL		
116	G988					172	x		
117	RCLC					173	RCLC		
118	RTN					174	÷		
119	#LBLc	t → New course, Left				175	SIN ⁻¹		
120	DSP8					176	-		
121	G988					177	3		
122	-					178	6		
123	G981					179	8		
124	RTN					180	*R		
125	#LBLR	t → New course, Right				181	+P		
126	DSP8					182	X ² Y		
127	G988					183	X ² O?		
128	+					184	+		
129	G981					185	RTN		
130	RTN					186	#LBLB		
131	#LBL0					187	*R		
132	HMS*					188	R4		
133	STOJ					189	R4		
134	RCL1					190	*R		
135	RCL2					191	X ² Y		
136	RCL1					192	R4		
137	RCL6					193	+		
138	-					194	R4		
139	x					195	+		
140	RCL7					196	RT		
141	RCL8					197	+P		
142	G988					198	RTN		
143	X ² Y					199	#LBLD		
144	1					200	DSP4		
145	8					201	RCL9		
146	8					202	RCL8		
147	+					203	RCL7		
148	RCL1					204	RCL8		
149	-					205	CHS		
150	STO9					206	G988		
151	X ² Y					207	RCL2		
152	RCLA					208	÷		
153	÷					209	RCL6		
154	1/X					210	+		
155	SIN ⁻¹					211	*HMS		
156	RTN					212	RTN		
157	#LBL1								
158	RCL1								
159	+								
160	ENT†								
161	ENT†								
162	1								
163	8								
164	8								
165	+								
166	X ² Y								
167	RCL0								
168	-								

LABELS

LABELS					FLAGS	SET STATUS		
A t ₁ t ₂ t ₃ R ₂	B HIS Course	C HIS speed	D t _{CPA}	E right turn	0	FLAGS	TRIG	DISP
^a t ₁ t ₂ t ₃ R ₁	^b coursespeed	^c MISS DIST	^d TARGET?	^e left turn	^f TARGET	ON <input type="checkbox"/> <input checked="" type="checkbox"/>	DEG <input checked="" type="checkbox"/>	FIX <input checked="" type="checkbox"/>
0	1	2	3	4	2 first time	OFF <input type="checkbox"/> <input checked="" type="checkbox"/>	GRAD <input type="checkbox"/>	SCI <input type="checkbox"/>
5	6	7	8	9	3	2 <input type="checkbox"/> <input checked="" type="checkbox"/>	RAD <input type="checkbox"/>	ENG <input type="checkbox"/>
						3 <input type="checkbox"/> <input checked="" type="checkbox"/>	n <input type="checkbox"/>	

DISTANCE BY HORIZON ANGLE

001	#LBLA								
002	ST01	Store HE							
003	RTN	-----							
004	#LBLB								
005	ST02	Store H							
006	RTN	-----							
007	#LBLC	Short of horizon							
008	HMS+	$h_s \rightarrow D$							
009	RCL1								
010	JX								
011	.								
012	0								
013	1								
014	6								
015	2								
016	x								
017	-								
018	ST03								
019	TAN								
020	2								
021	.								
022	4								
023	6								
024	EEX								
025	CHS								
026	4								
027	÷								
028	CH9								
029	ENT†								
030	ENT†								
031	X								
032	RCL2								
033	RCL1								
034	-								
035	.								
036	7								
037	4								
038	7								
039	3								
040	6								
041	÷								
042	+								
043	JX								
044	+								
045	RTN	-----							
046	#LBLA	Distance to horizon							
047	RCL1								
048	JX								
049	1								
050	.								
051	1								
052	4								
053	4								
054	x								
055	RTN	-----							
056	#LBLB	Distance of visibility							
REGISTERS									
0	1 HE	2 H	3	4	5	6	7	8	9
S0	S1	S2	S3	S4	S5	S6	S7	S8	S9
A	B	C	D	E	I				

LABELS				FLAGS		SET STATUS								
A	HE	B	H	C	$h_s \rightarrow D$	D	E	$D \uparrow h_s \rightarrow H$	F	0	FLAGS	TRIG	DISP	
a	$\rightarrow D_{hor}$	b	$\rightarrow D_{vis}$	c		d	e	$H \uparrow h_s \rightarrow D$	f	1	ON OFF	DEG <input checked="" type="checkbox"/>	FIX <input checked="" type="checkbox"/>	
0		1		2		3	4		2		1	<input type="checkbox"/> <input checked="" type="checkbox"/>	GRAD <input type="checkbox"/>	SCI <input type="checkbox"/>
s		6		7		8	9		3		2	<input type="checkbox"/> <input checked="" type="checkbox"/>	RAD <input type="checkbox"/>	ENG <input type="checkbox"/>
											3	<input type="checkbox"/> <input checked="" type="checkbox"/>	n <u>2</u>	

BEATING TO WINDWARD

001	*LBLA			057	-		
002	SPC			058	GSB9		
003	R4	Store W_a		059	ST03		
004	ST09			060	RND		
005	R4	Store S		061	GT05		
006	ST08			062	*LBLC	Stbd Tack	
007	R4	Store S_a		063	CF1		
008	ST07			064	GSB8		
009	R4			065	+		
010	COS			066	GSB9		
011	X ²			067	ST03		
012	ST04			068	GT05		
013	RCL9			069	*LBLB		
014	1	Correct S_a for angle of heel		070	SPC	Subroutine	
015	+R			071	ST08		
016	X ²			072	R4	Store deviation	
017	X2Y			073	ST01		
018	X ²			074	X2Y		
019	RCLA			075	ST02		
020	x			076	R4		
021	+			077	+		
022	IX	Store new S_a		078	+		
023	RCL7			079	GSB9		
024	X2Y			080	ST04		
025	÷			081	RCL6		
026	ST07			082	RTH		
027	RCL9			083	*LBLB		
028	X2Y			084	+R	Subroutine to multiply complex numbers	
029	+R	Compute MW		085	R4		
030	RCL8			086	R4		
031	-			087	+R		
032	+P			088	X2Y		
033	ST05			089	R4		
034	DSP2			090	+		
035	PRTX			091	R4		
036	RCL7			092	+		
037	X ²			093	R4		
038	RCL8			094	+P		
039	X ²			095	RTH		
040	-	Compute W_t		096	*LBLD		
041	RCL5			097	ST01	Store Drift	
042	X ²			098	X2Y		
043	-			099	ST04		
044	2			100	X2Y	Store Set	
045	÷			101	RCLA		
046	RCL8			102	RCL8		
047	÷			103	GSB8		
048	RCL5			104	DSP2		
049	÷			105	PRTX		
050	COS ⁻¹			106	ST08	SMG	
051	ST06			107	X2Y		
052	DSP1			108	GSB9		
053	GT05			109	PRTX		
054	*LBLB	Port Tack		110	ST0C	CMG	
055	SF1			111	RCL3		
056	GSB8			112	RCL6		

REGISTERS

0 Dev	1 Var	2 C _c	3 W _m	4 Set	5 MW	6 W _t	7 S _a	8 S	9 W _a
50 C _m	S1 D	S2 t _{Lay}	S3 t _{next}	S4	S5	S6	S7	S8	S9 Used
A C _t	B SMG (this tack)	C CM (this tack)	D SM (next tack)	E CMG (next tack)	F Drift				

113	F1?				169	ST02		
114	CMS				170	HMS		
115	+				171	DSP4		
116	GSB9				172	PRTX		
117	STOE				173	RCLC		Time along lay line
118	PRTX	C _c next tack			174	RCLB		
119	CF3				175	-		
120	SPC				176	SIN		
121	#LBL7	Wait loop			177	RCL9		
122	PSE				178	x		
123	F3?	Wait for new dev			179	ABS		
124	GT08				180	DSP2		
125	GT07				181	GSB5		
126	#LBL0				182	RCLB		Distance to lay line
127	RCLC				183	+		
128	X?Y				184	ST03		
129	ST08				185	DSP4		
130	-				186	GSB4		
131	RCL1				187	P+S		Time to lay line
132	-				188	SPC		
133	GSB9				189	RTN		
134	PRTX	C _c next tack			190	#LBL4		
135	RCLC				191	HMS		Print subroutines
136	RCL8				192	#LBL5		
137	RCL4				193	PRTX		
138	RCLI				194	RTN		
139	GSB8				195	#LBL6		
140	DSP2				196	P+S		Compute C _m and D
141	PRTX	SMG next tack			197	HMS*		given time from start
142	ST00				198	RCLB		
143	X?Y				199	x		
144	GSB9				200	RCLC		
145	STOE				201	X?Y		
146	GT05				202	CMS		
147	#LBL8	CMG next tack			203	RCL8		
148	P+S				204	RCL1		
149	ST01	Store D			205	GSB8		
150	X?Y				206	P+S		
151	ST00	Store C _m			207	DSP2		
152	X?Y				208	PRTX		
153	RCLC				209	X?Y		
154	RCLC				210	GSB9		
155	-				211	PRTX		
156	SIN				212	RTN		
157	÷				213	#LBL9		
158	ST09				214	DSP1		
159	RCL8				215	3		
160	RCLC				216	6		Subroutine to reduce
161	-				217	θ	angles to range	
162	SIN				218	+R	0 ≤ θ < 360	
163	x				219	+P		
164	ABS				220	X?Y		
165	DSP2				221	X?B?		
166	PRTX				222	+		
167	RCLD	Distance along lay line			223	RTN		
168	÷							

LABELS

FLAGS

SET STATUS

A _b STW _a Ti	B PORT	C STBD	D S _i ↑D	E C _m ↑D	0	FLAGS	TRIG	DISP
a	b	c	d	θ _{Δt} →C _m ,D	1	0 <input type="checkbox"/> <input checked="" type="checkbox"/>	ON OFF	DEG <input checked="" type="checkbox"/> FIX <input type="checkbox"/>
0	1	2	3	4	2	1 <input type="checkbox"/> <input checked="" type="checkbox"/>	GRAD <input type="checkbox"/>	SCI <input type="checkbox"/>
5	6	7	8	9	3	2 <input type="checkbox"/> <input checked="" type="checkbox"/>	RAD <input type="checkbox"/>	ENG <input type="checkbox"/>

n 2

HEWLETT  PACKARD

1000 N.E. Circle Blvd., Corvallis, OR 97330

00097-90174 Rev. 11/77

A ● C D E